

PREVENTIV

Objekti: Ndertimi i pedonales dhe korsis se bicikletave te Liqeni I Belshit,Faza III

Investitori: Bashkia Belsh

| Nr. | Nr.Anal. | EMERTIMI I PUNIMEVE | Njesia | Sasia | Cmimi pa tvsh | SHUMA |
|----------|----------|---|----------------|-------|---------------|-------|
| A | | PUNIME NDERTIMI | | | | |
| | | A1 - Punime ne Parkimin Nr.1 | | | | |
| 1 | 2.30 | Germim themele e plinta b>2m, ekskavator me zinxhir 0.5m ³ ,shkarkimi ne auto(Zbankimi I parkimit te makinave e bicikletave) | m ³ | 1000 | | |
| 2 | 3.89/a | Germim dheu me ekskavator goma 0.25 m ³ , ne kanale gjeresi deri 2 m, toke zak, kategoria III, me shk ne mjet | m ³ | 140 | | |
| 3 | 3.243 | Struktura monolite betoni C 16/20(Mure mbajtes) | m ³ | 171 | | |
| 4 | An-9 | Mbushje me zhavorr pas mureve | m ³ | 130 | | |
| 5 | 3.205/2 | Shtrese zhavori lumi t=20cm, perhapur e ngjeshur me makineri | m ² | 116 | | |
| 6 | 3.212/b | Shtrese stabilizant t=10cm | m ² | 1032 | | |
| 7 | 3.229/1 | Shtrese binderi me zall lavatrice,5cm,me makineri | m ² | 1032 | | |
| 8 | 3.233/1 | Shtrese asfaltobetoni me zall lavatrice,4cm,me mak | m ² | 1032 | | |
| 9 | An151 | Vizime me boje bikomponente | m ² | 4.8 | | |
| 10 | An152 | Vizime me boje bikomponente me gjeresi 15 cm | ml | 102 | | |
| 11 | 3.242 | Struktura monolite betoni C 12/15 nen bordura t = 5CM | m ³ | 1.5 | | |
| 12 | 3.617 | F V bordura betoni 15x25 cm | m | 115 | | |
| 13 | 3.643 | Mbjellje bari | m ² | 71 | | |
| 14 | 2.37/3a | Transport materiale ndertimi, dheu me auto deri 3.0 km | m ³ | 1140 | | |
| | | Shuma - A1 | | | | |
| | | A2 - Shkalla nga sheshi parkimit ne rrugen kembesore | | | | |
| 1 | 3.17 | Germime dheu ne seksion te lire me krahe,ne toke te bute,kateg.I-II, pa hedhje | m ³ | 23 | | |
| 2 | 3.183/b | Shtrese zhavor lumi t=15cm | m ² | 9.8 | | |
| 3 | 3.243 | Struktura monolite betoni C 16/20 I ferkuar per shkallen | m ³ | 12.9 | | |
| | | Shuma - A2 | | | | |
| | | A3 - Sheshi bicikletave ne hyrje | | | | |
| 1 | 3.193/a | Shtrese zhavor lumi t=10cm, me cilindrim | m ² | 116 | | |
| 2 | 3.243 | Struktura monolite betoni C 16/20 shtrimi sheshit | m ³ | 11.6 | | |

| | | | | | | |
|----|-----------|---|-------------|------|--|--|
| 3 | 3.639 | Veshje pllaka guri sipas dizenjosh te dhene nga arkitekti | m2 | 116 | | |
| | | Shuma - A3 | | | | |
| | | A4 - Moli 1 dhe 3 (2 cope) | | | | |
| 1 | 2.182 | Konstruksione metalike te thjeshta(pilotat) | ton | 2.8 | | |
| 2 | 3.252 | Ngulja e pilota b/a me ekskavator batipal | m | 67 | | |
| 3 | 2.182 | Konstruksione metalike te thjeshta(Mbistruktura molit) | ton | 3.5 | | |
| 4 | 3.415/3 | Ura druri. Shtese me derrasa, 5 cm | m2 | 162 | | |
| 5 | 3.416 | Ura druri. Parmake me lende te sharruar | m | 0.65 | | |
| 6 | 2.400 | Boje vaji siperfaqe druri(Lyerja do te jete me llaksipas kerkeses se arkitektit) | m2 | 496 | | |
| 7 | 2.401 | Boje vaji siperfaqe metalik | m2 | 182 | | |
| 8 | 3.25/a | Germim me krahe seksion detyruar me gjeresi b < 1 m, h=1.5 m, toke e zak. | m3 | 5.2 | | |
| 9 | 3.243 | Struktura monolite betoni C 16/20 (Themel) | m3 | 5.4 | | |
| | | Shuma per 1 cope | | | | |
| | | Shuma - A4 (2 cope) | leke | | | |
| | | A5 - Moli 2 | | | | |
| 1 | 2.182 | Konstruksione metalike te thjeshta(pilotat) | ton | 0.6 | | |
| 2 | 3.252 | Ngulja e pilota b/a me ekskavator batipal | m | 13.8 | | |
| 3 | 2.182 | Konstruksione metalike te thjeshta(Mbistruktura molit) | ton | 2.2 | | |
| 4 | 3.415/3 | Ura druri. Shtese me derrasa, 5 cm | m2 | 96 | | |
| 5 | 3.416 | Ura druri. Parmake me lende te sharruar | m | 0.27 | | |
| 6 | 2.400 | Boje vaji siperfaqe druri(Lyerja do te jete me llaksipas kerkeses se arkitektit) | m2 | 288 | | |
| 7 | 2.401 | Boje vaji siperfaqe metalik | m2 | 90 | | |
| 8 | 3.25/a | Germim me krahe seksion detyruar me gjeresi b < 1 m, h=1.5 m, toke e zak. | m3 | 3.3 | | |
| 9 | 3.243 | Struktura monolite betoni C 16/20 (Themel) | m3 | 3.5 | | |
| | | Shuma - A5 | | | | |
| | | A6 - Fusha e tenisit | | | | |
| 1 | 2.30 | Germim themele e plinta b>2m, ekskavator me zinxhir 0.5m3,shkarkimi ne auto(Zbankimi l sheshit) | m3 | 50 | | |
| 2 | 3.193/a | Shtrese zhavor lumi t=10cm, me cilindrim | m2 | 53 | | |
| 3 | 3.243 | Struktura monolite betoni C 16/20 shtrimi sheshit | m3 | 53 | | |
| 4 | An2.262/4 | Shtrese betoni C 20/25 t=5cm epunuar me helikopter | m3 | 26.5 | | |
| 6 | An151 | Vizime me boje bikomponente | m2 | 529 | | |
| 7 | 3.170 | Germime dheu ne seksion te lire me krahe,ne toke te bute,kateg.I-II, pa hedhje | m3 | 2.2 | | |
| 8 | 3.243 | Struktura monolite betoni C 16/20 (Plintat e rrethimit) | m3 | 2.2 | | |
| 9 | 2.182 | Konstruksione metalike te thjeshta(Rrethimi) | ton | 4 | | |
| 10 | 2.401 | Boje vaji siperfaqe metalik | m2 | 164 | | |
| 11 | 3.837/a | Rrethim rruge me rrjete teli | m2 | 470 | | |

| | | | | | | |
|----|-----------|---|------|------|--|--|
| 12 | An | Konstruksion metalik + rrjete e litarit te fushe tenisit per lojen | m2 | 9 | | |
| 13 | 2.262/3 | Shtrese betoni C 12/15 nen bordure | m3 | 1 | | |
| 14 | 3.619/a | Bordura betoni 6x20 cm | m | 94 | | |
| 15 | 2.37/3a | Transport materiale ndertimi, dheu me auto deri 3.0 km | m3 | 25 | | |
| | | Shuma - A6 | | | | |
| | | A7 - Fusha e basketbollit, volejbollit e hemdbolit | | | | |
| 1 | 2.30 | Germim themele e plinta b>2m, ekskavator me zinxhir 0.5m3,shkarkimi ne auto(Zbankimi l sheshit) | m3 | 850 | | |
| 2 | 3.193/a | Shtrese zhavor lumi t=10cm, me cilindrim | m2 | 78.8 | | |
| 3 | 3.243 | Struktura monolite betoni C 16/20 shtrimi sheshit | m3 | 78.8 | | |
| 4 | An2.262/4 | Shtrese betoni C 20/25 t=5cm epunuar me helikopter | m3 | 39.4 | | |
| 5 | An151 | Vizime me boje bikomponente | m2 | 788 | | |
| 6 | 3.170 | Germime dheu ne seksion te lire me krahe,ne toke te bute,kateg.I-II, pa hedhje | m3 | 2.6 | | |
| 7 | 3.243 | Struktura monolite betoni C 16/20 (Plintat e rrethimit) | m3 | 2.6 | | |
| 8 | 2.182 | Konstruksione metalike te thjeshta(Rrethimi) | ton | 4.9 | | |
| 9 | 2.401 | Boje vaji siperfaqe metalik | m2 | 208 | | |
| 10 | 3.837/a | Rrethim rruge me rrjete teli | m2 | 595 | | |
| 11 | An | F.V tabela basketbolli (komplet) | cope | 2 | | |
| 12 | An | Konstruksion metalik + rrjete e litarit te fushe tenisit per lojen | m2 | 12 | | |
| 13 | 2.262/3 | Shtrese betoni C 12/15 nen bordure | m3 | 1.25 | | |
| 14 | 3.619/a | Bordura betoni 6x20 cm | m | 119 | | |
| 15 | 2.37/3a | Transport materiale ndertimi, dheu me auto deri 3.0 km | m3 | 500 | | |
| | | Shuma - A7 | | | | |
| | | 8 - Muret mbajtes te shesheve te lojrave | | | | |
| 1 | 3.25/a | Germim me krahe seksion detyruar me gjeresi b < 1 m, h=1.5 m, toke e zak. | m3 | 35 | | |
| 2 | 3.243 | Struktura monolite betoni C 16/20 (muret) | m3 | 65 | | |
| 3 | An-9 | Mbushje me zhavorr pas mureve | m3 | 20 | | |
| 4 | 2.37/3a | Transport materiale ndertimi, dheu me auto deri 3.0 km | m3 | 20 | | |
| | | Shuma - A8 | | | | |
| | | A9- Amfiteatri me bare | | | | |
| 1 | 2.30 | Germim themele e plinta b>2m, ekskavator me zinxhir 0.5m3,shkarkimi ne auto | m3 | 27 | | |
| 2 | 3.25/a | Germim me krahe seksion detyruar me gjeresi b < 1 m, h=1.5 m, toke e zak. | m3 | 20 | | |
| 3 | 3.243 | Struktura monolite betoni C 16/20 (muret) | m3 | 49.6 | | |
| 4 | 3.376 | Ndertim drenazhi, mbushje me gure kave | m3 | 25.8 | | |
| 5 | 2.19+An | Hedhje,rrafshim,mbushje dheu me krah, kategoria III + humus | m3 | 40 | | |
| 6 | 3.643 | Mbjellje bari | m2 | 258 | | |

| | | | | | | |
|----|---------|--|------|------|--|--|
| 7 | 2.37/3a | Transport materiale ndertimi, dheu me auto deri 3.0 km | m3 | 25 | | |
| | | Shuma - A9 | | | | |
| | | A10 - Skena amfiteatrit | | | | |
| 1 | 2.30 | Germim themele e plinta b>2m, ekskavator me zinxhir 0.5m3,shkarkimi ne auto(Zbankimi I I sheshit) | m3 | 17.5 | | |
| 2 | 3.193/a | Shtrese zhavor lumi t=10cm, me cilindrim | m2 | 50 | | |
| 4 | 3.243 | Struktura monolite betoni C 16/20 (shtresa 20 cm) | m3 | 5.4 | | |
| 24 | 2.500 | Germim e mbushje dheu me krah kategoria III per themele, h = 1.5m per bordurat dhe themelet e kolonave metalike | m3 | 1.2 | | |
| 25 | 3.242 | Struktura monolite betoni C 12/15 7cm | m3 | 1.2 | | |
| 26 | 2.182 | Konstruksione metalike te thjeshta per mbajtjen e tendave tub metalik 127x4mm | ton | 0.4 | | |
| 27 | 2.401 | Boje vaji sipërfaqe metalik | m2 | 15 | | |
| 28 | An | Shtrirje terheqe kavo celiku O 8 mm | ml | 165 | | |
| 29 | An | Morseta terheqje tiranti xingato O10 mm | cope | 15 | | |
| 30 | An | Tende tekstile e bardhe | m2 | 170 | | |
| | | Shuma - A10 | | | | |
| | | A11 - Sheshet rekreative 3 (dy cope) | | | | |
| 1 | 2.10 | Germim dheu me krah e transport me k dore 10 m, kategoria III | m3 | 15.6 | | |
| 2 | 3.193/a | Shtrese zhavor lumi t=10cm, me cilindrim | m2 | 68 | | |
| 3 | 3.620 | Trotuar, me 6 cm beton, me pllaka | m2 | 68 | | |
| 4 | 2.258 | Nenshtrese zhavori nen bordura 5 cm | m3 | 0.3 | | |
| 5 | 3.242 | Struktura monolite betoni C 12/15 7cm ne bordura | m3 | 0.4 | | |
| 6 | 3.618 | F V bordura betoni 20x35 cm | m | 38.5 | | |
| | | Shuma (1 cope) | | | | |
| | | Shuma - A11(2 cope) | leke | | | |
| | | A12 - Sheshet karuzelit | | | | |
| 1 | 2.30 | Germim themele e plinta b>2m, ekskavator me zinxhir 0.5m3,shkarkimi ne auto(Zbankimi I parkimit te makinave e bicikletave) | m3 | 200 | | |
| 2 | 3.205/1 | Shtrese zhavori lumi t=15cm, perhapur e ngjeshur me makineri (dy shtresa) | m2 | 1000 | | |
| 3 | 3.212/b | Shtrese stabilizant t=10cm | m2 | 500 | | |
| 4 | 3.229/1 | Shtrese binderi me zall lavatrice,5cm,me makineri | m2 | 500 | | |
| 5 | 3.233/1 | Shtrese asfaltobetoni me zall lavatrice,4cm,me mak | m2 | 500 | | |
| 6 | 3.242 | Struktura monolite betoni C 12/15 nen bordura | m3 | 1.85 | | |
| 7 | 3.617 | F V bordura betoni 15x25 cm | m | 87 | | |
| 8 | 3.243 | Struktura monolite betoni C 16/20(bordura fundore) | m3 | 6.2 | | |
| 9 | 2.37/3a | Transport materiale ndertimi, dheu me auto deri 3.0 km | m3 | 120 | | |

| | | | | | |
|----|----------|---|-----|-------|--|
| | | Shuma - A12 | | | |
| | | A13 - Sheshet e lodrave | | | |
| 1 | 2.30 | Germim themele e plinta b>2m, ekskavator me zinxhir 0.5m ³ ,shkarkimi ne auto(Zbankimi I parkimit te makinave e bicikletave) | m3 | 272 | |
| 2 | 2.258 | Nenshtrese zhavori nen bordura 5 cm | m3 | 2.1 | |
| 3 | 3.242 | Struktura monolite betoni C 12/15 nen bordura | m3 | 2.68 | |
| 4 | 3.62 | Trotuar, me 6 cm beton, me pllaka | m2 | 127 | |
| 5 | 3.617 | F V bordura betoni 15x25 cm | m | 77 | |
| 6 | 2.19+An | Hedhje,rrafshim,mbushje dheu me krah, kategoria III + humus | m3 | 20 | |
| 7 | 3.643 | Mbjellje bari | m2 | 202 | |
| 8 | 3.182/c | Shtrese rere natyrore t=20cm | m2 | 252 | |
| 9 | 3.243 | Struktura monolite betoni C 16/20(bordura e gropes se reres) | m3 | 1.1 | |
| 10 | 2.37/3a | Transport materiale ndertimi, dheu me auto deri 3.0 km | m3 | 172 | |
| | | Shuma - A13 | | | |
| | | A14 - Plazhet e reres | | | |
| 1 | 3.182/c | Shtrese rere natyrore t=20cm | m2 | 750 | |
| | | Shuma - A14 | | | |
| | | A15- Banjot | | | |
| 1 | 2.30 | Germim themele e plinta b>2m, ekskavator me zinxhir 0.5m ³ ,shkarkimi ne auto(Zbankimi I I sheshit) | m3 | 115 | |
| 2 | 2.50 | Germim e mbushje dheu me krah kategoria III per themele, h = 1.5m per themelin e godines | m3 | 44 | |
| 3 | 2.258 | Nenshtrese zhavori | m3 | 4.35 | |
| 4 | 2.262/3 | Shtrese betoni C 12/15 | m3 | 4.35 | |
| 5 | 2.262/4a | Pllake themeli, trare e bazamente b/a C 20/25 | m3 | 15.6 | |
| 6 | 2.130/1 | Mure b/a t = 21 ~ 30 cm, C 16/20, h ~ 4 m | m3 | 8 | |
| 7 | 2.258 | Mbushje me zhavor shtrese dysHEMEJE | m3 | 41 | |
| 8 | 2.117/1a | Kollona b/a monolite C 20/25 h ~ 4m | m3 | 3.1 | |
| 9 | 2.119/1a | Trare e arkitrare b/a C20/25 h ~ 4m | m3 | 2.6 | |
| 10 | 2.125/1a | Soleta b/a me polisterol dhe rrjete teli C 20/25 t=25cm, h~6m | m2 | 137.8 | |
| 11 | 2.119/1 | Trare e arkitrare b/a C - 16/20, h ~ 4 m | m3 | 0.34 | |
| 12 | 2.166 | F V hekur betoni periodik Ø 6 - 10 mm | ton | 2.2 | |
| 13 | 2.167 | F V hekur betoni periodik Ø > 10 mm | ton | 2.3 | |
| 14 | 3.243 | Struktura monolite betoni C 16/20 | m3 | 10.8 | |
| 15 | 2.109/2 | Themel e xokol betoni C - 12/15 I verandes | m3 | 1.23 | |
| 16 | 2.262/4 | Shtrese betoni C 16/20 | m3 | 8.1 | |
| 17 | 2.267/a | Shtrese me pllaka grez porcelanato | m2 | 54 | |
| 18 | 2.70/2 | Mur me tulle te lehtesuara dopio deri 3m me llaç perzier M25 | m3 | 25.3 | |
| 19 | 2.70/2 | Mur me tulle te lehtesuara 20 cm deri 3m me llaç perzier M25 | m3 | 7.2 | |

| | | | | | | |
|----|----------|--|------|------|--|--|
| 20 | 2.86 | Mur me tulle me 6 vrima, t=12cm, h~3m, llaç perzier M15 | m3 | 3.2 | | |
| 21 | 2.262/4 | Shtrese betoni C 16/20 ne tarace per pjerresi t=5cm | m3 | 4.3 | | |
| 22 | 2.20 | Shtrese lluster cemento 1:2, t = 20 mm | m2 | 56 | | |
| 23 | 2.206 | Kasete shkarkimi me llamarine xingat | cope | 1 | | |
| 24 | 2.209 | Ulluk shkarkimi vertikal me llamarine xingat Ø 100 mm | ml | 4 | | |
| 25 | 2.197 | Hidroizolim me emulsion bitumi dhe 2 shtrese k katrama | m2 | 142 | | |
| 26 | 2.300 | Suva solete h ~ 4 m me drejtues, me krah | m2 | 71.6 | | |
| 27 | 2.310 | Suva brenda mur tulle h~4m me krah, llaç perzier M 25 | m2 | 343 | | |
| 28 | 2.331 | Suva e zakonshme fasade mur tulle h ~ 8 m | m2 | 282 | | |
| 30 | 2.326 | Veshje me pllake majolike | m2 | 215 | | |
| 32 | 2.268/a | Shkalle montazhi mermeri | m2 | 7 | | |
| 33 | 2.268/a | Pragje montazhi mermeri | m2 | 16.1 | | |
| 34 | 3.375 | Dritare d/alumini tek xham. | m2 | 19.5 | | |
| 35 | 2.373 | Vetrato xhami i temperuar jo transparente | m2 | 10.8 | | |
| 36 | 2.395 | Dyer d/alumini tek xham dyert e jashtme | m2 | 6.3 | | |
| 37 | 2.395/a | Dere d/alumini pa xham, me mbushje d/a. | m2 | 18 | | |
| 38 | 2.404 | Boje hidroplastike | m2 | 71.6 | | |
| 38 | 2.404/1 | Boje hidroplastike importi cilesi e l-re | m2 | 282 | | |
| 39 | 2.486 | F.V Portollampa normale 10 A | cope | 5 | | |
| 40 | 2.485/3 | F.V Çeles 1 polar 220V 10A "Ticino" | cope | 4 | | |
| 41 | 2.481/1 | F.V percjelles PV-500 Ø 1.5 mm2 | ml | 130 | | |
| 42 | 480/3 | F.V tub plastmasi Ø 22 ~ 26 mm | ml | 60 | | |
| 43 | 2.490 | F.V kuader ndrçimi | cope | 1 | | |
| 44 | 2.490/1b | F.V Automat termo/el.manj. diferencial 2P 220V, 16A | cope | 3 | | |
| 45 | 2. a-136 | Ndricues pllafonier muror 1x100w | cope | 3 | | |
| 46 | 2.490/d | F.V Kasete plastike KE me 8 modular (vende) | cope | 1 | | |
| 47 | 2. a-120 | Llampe sinjalizimi 220V;1.2w | cope | 1 | | |
| 48 | 2.487/d | F.V kuti suport" Celsa Prizash" pllaket 4 modular Gevis | cope | 9 | | |
| 49 | 2.481/2 | F.V percjelles PV-500 Ø 2.5 mm2 | ml | 160 | | |
| 50 | 2.485/b | F.V priza bivalente 220V 10A 2P-T Gevis | cope | 9 | | |
| 51 | 2.481/4 | F.V percjelles PV-500 Ø 6 mm2 | ml | 30 | | |
| | | Shuma - A15 | | | | |
| | | A16 - Punime hidrosanitare Banjot | | | | |
| 1 | 2.10 | Germim dheu per kanal + mbushje dhe ngjeshje | m3 | 20 | | |
| 2 | 2.19 | Mbushje dhe ngjeshje kanali me rere | m3 | 18 | | |
| 3 | 2.495 | F.V lavaman porcelani importi me mishelator | cope | 4 | | |
| 4 | 2.501 | F.V WC allafrenga | cope | 9 | | |
| 5 | 2.491/e | F.V Tuba e rakorderi d=50mm per shkarkimin e (lavamaneve) | ml | 20 | | |
| 6 | 2.491/b | F.V Tuba e rakorderi ujesjellesi d=20mm (furnizimi me uje te lavamaneve) | ml | 30 | | |

| | | | | | | |
|--|-------------|--|----------------|-------|--|--|
| 7 | 2.520 | F.V Tuba PVC d=110mm per shkarkimet e banjove | ml | 12 | | |
| 8 | 2.521 | Tub kanalizimi pvc Ø 125 mm | ml | 15 | | |
| 9 | 2.494/2 | F.V saracineska bronzi Ø 1 " = 25 mm | cope | 2 | | |
| 10 | An - 20 | Pusetë shkarkimi b/a, 80 x 80 cm, h = 150 cm | cope | 3 | | |
| 11 | 2.575 | Puse kontrolli 1x1x1.5m | cope | 2 | | |
| 12 | 2.425/1 | Grope septike me V = 8 m ³ | cope | 1 | | |
| | | Shuma - A16 | leke | | | |
| A17 - Punime ne pedonale ,korsi bicikletash e rrugica | | | | | | |
| a - Korsa e biçikletave | | | | | | |
| 1 | 3.89/a | Germim me makineri , toke zakonshme (korsa e biçikletave+kanali kullues) | m ³ | 2782 | | |
| 2 | 2.37/3a | Transport dheu me auto deri 5.0 km | m ³ | 2600 | | |
| 3 | 3.198 | Cilindrim kasonete me rul | m ² | 2782 | | |
| 4 | 3.618 | F V bordura betoni 20x35 cm | m | 1300 | | |
| 5 | 3.240 | Shtrese betoni C 12/15 nen bordura | m ³ | 26 | | |
| 6 | 2.258 | Nenshtrese zhavori (nen kanal) | m ³ | 156 | | |
| 7 | 3.243/1 | Struktura monolite betoni C 16/20 t=10 cm (Betonimi I kanalit kullues) | m ³ | 145.5 | | |
| 8 | 3.211 | Shtrese çakelli t=20cm, perhapur e ngjeshur me makineri(Nen korsi dhe nen bordure) | m ² | 2860 | | |
| 9 | 3.244 | Struktura monolite betoni C 20/25 t=15 cm | m ³ | 399 | | |
| 10 | 2.261 | Shtrese rere | m ³ | 78 | | |
| 11 | 3.226/1a | Shtrese asfaltobetoni me ngjyre(te kuqe) me granil guri kave, 4cm, me makineri | m ² | 2660 | | |
| 12 | 2.An - 22/1 | Pusetë b/a shiu 40 x 40, h = 100 cm, me kapak gize | cope | 3 | | |
| 13 | An | F.V. Tuba te brinjezuar HDPE Dn=200 mm + rakorderi | ml | 30 | | |
| | 2.258 | Nenshtrese zhavori (mbushje kasonetes se tubave te shkarkimit) | m ³ | 5 | | |
| | | Shuma-a | | | | |
| b - Pedonalja | | | | | | |
| 1 | 3.89/a | Germim me makineri , toke zakonshme (pedonalja) | m ³ | 2210 | | |
| 2 | 2.37/3a | Transport dheu me auto deri 3.0 km | m ³ | 2210 | | |
| 3 | 3.618 | F V bordura betoni 20x35 cm | m | 1330 | | |
| 4 | 3.240 | Shtrese betoni C 12/15 nen bordura t=5 cm | m ³ | 26 | | |
| 5 | 3.198 | Cilindrim kasonete me rul | m ² | 3325 | | |
| 6 | 3.211 | Shtrese çakelli t=20cm, perhapur e ngjeshur me makineri | m ² | 3510 | | |
| 7 | 3.244 | Struktura monolite betoni C 20/25 t=15 cm | m ³ | 499 | | |
| 8 | 2.261 | Shtrese rere t=3 cm | m ³ | 100 | | |
| 9 | 3.621 | Trotuar, me 6 cm beton, me forma | m ² | 3250 | | |
| | | Shuma -b | | | | |
| c - Ura tek stacioni pompave | | | | | | |
| 1 | 3.25/a | Germim me krahe seksion detyruar me gjeresi b < 1 m, h=1.5 m, toke e zak. | m ³ | 8 | | |
| 2 | 3.243 | Struktura monolite betoni C 16/20 (plintat) | m ³ | 20.5 | | |

| | | | | | | |
|---|-------------|---|----------------|-------|--|--|
| 3 | 2.181 | Konstruksione metalike te perbera | ton | 2.4 | | |
| 3 | 3.287 | F V hekur betoni i zakonshem Ø 6 ~ 10mm | ton | 0.1 | | |
| 3 | 3.243 | Struktura monolite betoni C 16/20 (mbistruktura ures) | m3 | 4.2 | | |
| 4 | 2.401 | Boje vaji siperfaqe metalik | m2 | 50.7 | | |
| | | Shuma-c | | | | |
| | | d - Perroi l thate | | | | |
| 1 | 3.89/a | Germim me makineri , toke zakonshme(perroi l thate) | m ³ | 280 | | |
| 2 | 2.37/3a | Transport dheu me auto deri 3.0 km | m3 | 280 | | |
| 3 | 3.377 | Mbushje me gure lumi | m3 | 140 | | |
| 4 | 2.37/3a | Transport dheu me auto deri 3.0 km | m3 | 280 | | |
| | | Shuma-d | | | | |
| | | d - Rrugicat e kembesoreve | | | | |
| 1 | 3.89/a | Germim me makineri , toke zakonshme(rrugicat e kembesoreve) | m ³ | 670 | | |
| 4 | 64/1a+2.258 | Shtrese zhavori+dhe l ngjeshur perhapur dhe ngjeshur me makineri | m3 | 600 | | |
| 5 | 2.37/3a | Transport dheu me auto deri 3.0 km | m3 | 670 | | |
| | | Shuma-e | | | | |
| | | Shuma - A17 (shuma a deri shuma e) | | | | |
| | | A19 - Imitimi karozelit | | | | |
| 1 | 3.25/a | Germim me krahe seksion detyruar me gjeresi b < 1 m, h=1.5 m, toke e zak. | m3 | 9 | | |
| 2 | 3.243 | Struktura monolite betoni C 16/20 | m3 | 9 | | |
| 3 | 2.181 | Konstruksione metalike te perbera | ton | 15.85 | | |
| 4 | 2.401 | Boje vaji siperfaqe metalik | m2 | 400 | | |
| | | Shuma A19.1 | | | | |
| 1 | An | Shirit Led | ml | 540 | | |
| 2 | An | Transformator fuqie qendrore 100W | cope | 1 | | |
| 3 | 2.490/1c | F.V Automat termo/el.manj. diferencial 2P 220V, 32A | cope | 2 | | |
| 4 | 2.481/4 | F.V percjelles PV-500 Ø 6 mm2 | ml | 90 | | |
| 5 | 480/4 | F.V tub plastmasi Ø 27 ~ 30 mm | ml | 35 | | |
| 6 | 2.49 | F.V Kutiderivacioni plastike | cope | 1 | | |
| 7 | An | Kasete metalike per paisjet elektike | m3 | 1 | | |
| 8 | An | F V kuader komandimi komplet me santeri+fotoelement | cope | 1 | | |
| | | Shuma A19.2 | | | | |
| | | Shuma - A19 (shuma A19.1 + shuma A19.2) | | | | |
| | | 20 - Gjelberimi | | | | |
| 1 | 3.48/a | Rrafshim skarpatesh, me krahe, ne germim toke te bute | m2 | 11800 | | |
| 1 | An169 | F.V.mbjellje peme dekorative te ndryshme 16~18cm | cope | 200 | | |
| 2 | An164 | F.V. Fidane Peme dekorative | cope | 200 | | |
| 3 | An165 | F.V. Fidane shkurre dekorative te ndryshme | cope | 205 | | |
| 4 | An163 | F.V. Fidane Lule dekorative | cope | 1098 | | |
| 5 | 3.643 | Mbjellje bari | m2 | 11800 | | |

| | | | | | |
|--|--|------------------------------------|--|--|--|
| | | Shuma - A20 | | | |
| | | Shuma - A(shuma A1 deri shuma A20) | | | |

| B | | PUNIME NE RRJETIN E KANALIZIMEVE | | | |
|---------------------------------------|-------------|---|------|------|--|
| B - 1. Punime ne rrjetin e KUZ | | | | | |
| 1 | 3.89/b | Germim dheu me ekskavator goma 0.25 m ³ , ne kanale gjeresi > 2 m, toke zak, kategoria III, me shk ne mjet | m3 | 2006 | |
| 2 | 3.An.164/1a | Mbushje me material te germuar ne trupin e rruges, perhapur e ngjeshur me makineri | m3 | 839 | |
| 3 | 2.37/3a | Transport dheu me auto deri 3.0 km | m3 | 1167 | |
| 4 | 3.183/a | Shtrese zhavor lumi t=10cm | m2 | 600 | |
| 5 | 3.24 | Shtrese betoni C 12/15 t=10 cm nen tuba | m3 | 60 | |
| 6 | 3.184/a | Shtrese zhavor lumi t=30cm (Per mbushjen e kanalit te kolektorit) | m2 | 3383 | |
| 7 | 2.556 | F.V tuba betoni Ø 600 mm | ml | 151 | |
| 8 | 2.557 | F.V tuba b/a Ø 800 mm | ml | 269 | |
| 9 | An-1 | Ndertim puseta betoni H=2.5-3m, D=1m + kapak gize | cope | 3 | |
| 10 | An-2 | Ndertim puseta betoni H=3.5m, D=1.5m + kapak gize | cope | 8 | |
| | | Shuma - B- 1 | | | |

| | | | | | |
|---|---------|---|----------------|------|--|
| B-2. Punime ne Rrjetin e Drenazhimit | | | | | |
| 1 | 3.89/a | Germim me makineri , toke zakonshme | m ³ | 530 | |
| 2 | 3.25/a | Germim me krahe seksion detyruar me gjeresi b < 1 m, h=1.5 m, toke e zak. | m3 | 20 | |
| 3 | 2.37/3a | Transport dheu me auto deri 3.0 km | m3 | 550 | |
| 4 | 2.19 | Mbushje me dhe te seleksionuar nga germimi | m ³ | 386 | |
| 5 | 2.261 | Mbushje cakell makinerie t=40mm | m ³ | 290 | |
| 6 | 3.An/6 | F.V. Shtrese Gjeotekstili 165/m2 perfshi bashkimet me mbivendosje | m ² | 1930 | |
| 7 | An | F.V. Tuba te brinjezuar drenazhi HDPE Dn=150 mm + rakorderi | ml | 870 | |
| 8 | An | F.V. Tuba te brinjezuar drenazhi HDPE Dn=200 mm + rakorderi | ml | 95 | |
| 9 | 3.An/1t | F V tuba te brinjezuar drenazhi SN8 d=315 mm | ml | 76 | |
| | | Shuma - B- 2 | | | |

| | | | | | |
|--|---------|---|----------------|----|--|
| B-3. Punime ne Rrjetin e vaditjes | | | | | |
| C-1.01 | 3.89/a | Germim me makineri , toke zakonshme + transport 5km | m ³ | 10 | |
| C-1.02 | 3.25/a | Germim me krahe seksion detyruar me gjeresi b < 1 m, h=1.5 m, toke e zak. | m3 | 60 | |
| | 2.37/3a | Transport dheu me auto deri 3.0 km | m3 | 70 | |
| C-1.03 | 2.261 | Mbushje me shtrese rere | m ³ | 12 | |
| C-1.04 | 2.19 | Mbushje me dhe te ngjeshur | m ³ | 50 | |

| | | | | | | |
|--------|-----------|---|------|-----|--|--|
| C-1.05 | 2.An-22/1 | Ndertim puseta betoni M-250 40x40x50cm (dimensioni brendshem) + kapak llamarine xingato (lyer jeshil) me mentesha | cope | 18 | | |
| C-1.06 | 2.491/f | F.V. Tubacione polietilene PEHD 100; Dj 63 mm perfshire rakorderite; PN10 | ml | 122 | | |
| C-1.07 | 2.491/e | F.V. Tubacione polietilene PEHD 100; Dj 50 mm perfshire rakorderite; PN10 | ml | 30 | | |
| C-1.08 | 2.491/d | F.V. Tubacione polietilene PEHD 100; Dj 40 mm perfshire rakorderite; PN10 | ml | 200 | | |
| C-1.09 | 2.491/c | F.V. Tubacione polietilene PEHD 100; Dj 32 mm perfshire rakorderite; PN10 | ml | 320 | | |
| C-1.10 | 2.494/2 | F.V. Saracineske Φ 1" + dalje metalike 1" | cope | 18 | | |
| C-1.11 | Analize | F. Kompjet zorre (tuba) gome per vaditje me diameter 1" me gjatesi 25 ml (do i dorezohen Bashkise ne perfundim te punimeve) | cope | 20 | | |
| C-1.12 | 2.an-1 | Shpim pusi 20 m komplet +aksesore | cope | 1 | | |
| | | Shuma - B-3 | | | | |
| | | SHUMA - B (SHUMA B1 DERI SHUMA B3) | | | | |

| C | | PUNIME ELEKTRIKE | | | | |
|----------|-----------|--|------|------|--|--|
| 1 | 4.133/3.5 | F.V ne toke kablllo Al fuqie +1000V,me izolim gome 4x16mm ² | ml | 100 | | |
| 2 | 4.133/3.5 | F.V ne toke kablllo Al fuqie +1000V,me izolim gome 4x10mm ² | ml | 3100 | | |
| 3 | 4.142/2.1 | F.V kablllo CU pa armuar ,ne mure e konstruksioni 4x1.5mm ² | ml | 2200 | | |
| 4 | 3.65 | F.V tub plasmasi ϕ 100mm | m | 3150 | | |
| 5 | 3.An/55 | F.V Pusete elektrike kontrolli PVC 40x40x40cm | cope | 205 | | |
| 6 | 2.a-129 | F.V ndricues projektor me llampe SAP-T 250W | cope | 318 | | |
| 7 | 2.481/2 | F.V percjelles PV-500 \emptyset 4 mm ² . per togezimin nga shtylla ne shtylle | ml | 2980 | | |
| 8 | An | F.V Kuader komandimi komplet me santeri +fotoelement | cope | 2 | | |
| 9 | 2.a-93 | Percjelles togezimi bakrri Cu,S=35mm ² l shveshur | m | 205 | | |
| 10 | An | F V shtylla dekorative dy degeshe per ndricim, H=8m, | cope | 113 | | |
| 11 | 3.An/53 | F V krah per shtylla metalike per ndricim | cope | 92 | | |
| 12 | 3.An/53 | F.V Shtylla metalike per ndricim H=7m , d=160mm | cope | 92 | | |
| 13 | 3.An/et | F.V Elektrode togzimi te nxiguar L=150cm | cope | 205 | | |
| 14 | 2.490/1a | F.V Automat termo /el manj diferencial 220v, 10A | cope | 205 | | |
| 15 | 3.25/a | Germim me krahe seksion detyruar me gjeresi b < 1 m, h=1.5 m, toke e zak. | m3 | 320 | | |
| 16 | 3.240. | Mbushje me beton marka 150 per ikastrim shtyllash | m3 | 25 | | |
| 17 | 3.An-56 | F.V Tuba Metalike D=140mm | ml | 60 | | |
| 18 | 3.182/a | Shtrese rere natyrore t=10cm | m2 | 420 | | |

Shuma - C

PUNIME RRUGESH

| D | | | | | | |
|---|---------------------------------|--|----------------|------|--|--|
| Rruga Degezim Qafa e Belshit km 0.64 | | | | | | |
| I | Punime germimi e mbushje | | | | | |
| 1 | 3.104/a | Germim dheu me ekskavator zingjir 0.5 m ³ , ne kanale gjeresi deri 2 m, toke zak, kategoria IV, me shk ne mjet(ndertimi I bazamentit te rruges) | m ³ | 3344 | | |
| 2 | 3.193/c | Shtrese zhavorr lumi t=30cm, me cilindrim (per kasoneten) | m ² | 6795 | | |
| 3 | 3.158/5a | Transport dheu me auto deri ne 5km | m ³ | 3344 | | |
| | | Shuma I | | | | |
| II | Punime shtresash rrugore | | | | | |
| 1 | 3.226/1 | Shtrese asfaltobetoni me granil guri kave, t=4cm, me makineri | m ² | 5760 | | |
| 2 | 3.222/2 | Shtrese binderi me granil gur kave, t=6cm, me makineri | m ² | 4640 | | |
| 3 | An | Skarifikim shtrese asfalti me makineri | m ² | 1160 | | |
| 4 | An | Sperkatje me emulsion bituminoz 0.5 l/m ² | m ² | 1160 | | |
| 5 | 3.212/c | Shtrese stabilizant t=15cm | m ² | 4640 | | |
| 6 | 3.183/c | Shtrese zhavor lumi t=20cm | m ² | 4640 | | |
| 7 | 3.211 | Shtrese çakelli mbeturine kave t=20cm , perhapur e ngjeshur me makineri | m ² | 4640 | | |
| 8 | 3.244 | Struktura monolite betoni C 20/25 (per kuneten anesore) | m ³ | 62 | | |
| | | Shuma II | | | | |
| III | Punime trotuari | | | | | |
| 1 | 3.618 | F V bordura betoni 20x35 cm | ml | 100 | | |
| 2 | 2.261 | Shtrese rere nen pllaka, t=6 cm | m ³ | 50 | | |
| 3 | 3.620 | Trotuar, me 6 cm beton, me pllaka | m ² | 50 | | |
| 4 | 3.183/a | Shtrese zhavor lumi t=10 cm (nen bordure) | m ² | 30 | | |
| 5 | 3.238 | Struktura monolite betoni, C 6/10 (nen bordura) | m ³ | 30 | | |
| | | Shuma III | | | | |
| IV | Punime per K.U.B | | | | | |
| 4 | An - 20 | Riparim pusete shkarkimi b/a, 80 x 80 cm, h = 150 cm | cope | 33 | | |
| | | Shuma IV | | | | |
| V | Punime ndriçimi rrugor | | | | | |
| 1 | 4.133/3.5 | F.V ne toke kablllo Al fuqie +1000V,me izolim gome 4x16mm ² | ml | 30 | | |
| 2 | 4.133/3.5 | F.V ne toke kablllo Al fuqie +1000V,me izolim gome 4x10mm ² | ml | 670 | | |
| 3 | 4.142/2.1 | F.V kablllo CU pa armuar ,ne mure e konstruksioni 4x1.5mm ² | ml | 90 | | |
| 4 | 2.a-129 | F.V ndricues projektor me llampe SAP-T 250W | cope | 33 | | |
| 5 | An | F.V Kuader komandimi komplet me santeri +fotoelement | cope | 1 | | |

| | | | | | | |
|------------|--|---|----------------|------|--|--|
| 6 | 3.An/53 | F V krah per shtulla metalike per ndricim | cope | 33 | | |
| 7 | 3.An/1sh | FV shtylla metalike konike ndricimi H=9m PAICC-3 | cope | 14 | | |
| 8 | 3.An/et | F.V Elektrode togzimi te nxiguar L=150cm | cope | 2 | | |
| 9 | 3.240. | Mbushje me beton marka 150 per ikastrim shtyllash | m3 | 4 | | |
| | | Shuma V | | | | |
| VI | Punime ne sinjalistiken rrugore + Gjelberim | | | | | |
| 1 | An13 | Guardrail H2 anesore me 3 valz.e ne 1 ane ,W6 + aksesoret | m | 150 | | |
| 2 | An39 | Fundore guardrail me 2 valezime | copë | 2 | | |
| 3 | An47 | Tabele katrore e vogel me A=40 (shevrone) | copë | 8 | | |
| 4 | An 64 | Tabele sinjali i drejtimit HxL normal 25x125 | copë | 2 | | |
| 5 | An94 | Tabela katrore normale me diagonale vertikave 60x40 | copë | 3 | | |
| 6 | An100 | Tabele rrethi "detyrim" normal me D = 60 | copë | 4 | | |
| 7 | An106 | Tabela trekendore normal me A = 90 | copë | 6 | | |
| 8 | An130 | Vijezim shirita gjatesor dhe anesor me gjeresi 15 cm.Termoplastike (sprajt) | ml | 1877 | | |
| 9 | An145 | Boje termoplastike (sprajt) | m ² | 56 | | |
| 10 | An153 | F V reflektor asfalti (sy mace) | copë | 150 | | |
| 11 | An155 | F.V tabela rrugore te ndryshme D=90 (ne ishuj dhe rotondo) | copë | 4 | | |
| 12 | An164 | F.V. Fidane Peme dekorative (Rrap) | copë | 63 | | |
| | | Shuma VI | | | | |
| VII | Mobilimi urban | | | | | |
| 1 | An164 | F.V. Fidane Peme dekorative | cope | 4 | | |
| | | Shuma VII | | | | |
| | | SHUMA D (SHUMA I DERI SHUMA VII) | | | | |

| | | | | | | |
|----------|----------------------------|---|----|-------|--|--|
| E | Kulla panoramike | | | | | |
| | I - Punime ndertimi | | | | | |
| 1 | 2.26 | Germim themele e plinta b>2m, ekskavator me goma, kova 0.25m3 shkarkim auto | m3 | 140 | | |
| 2 | 2.19 | Hedhje,rrafshim,mbushje dheu me krah, kategoria III | m3 | 35 | | |
| 3 | 2.37/2a | Transport materiale ndertimi, dheu me auto deri 2.0 km | m3 | 105 | | |
| 4 | 2.262/4a | Pllake themeli, trare e bazamente b/a C 20/25 | m3 | 20.5 | | |
| 5 | 2.258 | Nenshtrese zhavori themeli | m3 | 43.7 | | |
| 6 | 2.262/3 | Shtrese betoni C 12/15 themel | m3 | 4.37 | | |
| 7 | 2.258 | Mbushje me zhavor | m3 | 76.32 | | |
| 8 | 2.262/4 | Shtrese betoni C 16/20 dyshemeja | m3 | 3.5 | | |
| 9 | 2.262/4 | Shtrese betoni C 16/20 per rruge para objektit | m3 | 20 | | |

| | | | | | | |
|----|------------|---|------|-------|--|--|
| 10 | 2.130/1a | Mure b/a t = 21-30cm, h ~ 4m C 20/25 | m3 | 51.61 | | |
| 11 | 2.122/1a | Soleta te plota b/a C 20/25 t = 10 cm, h ~ 4m shkalle | m3 | 9.7 | | |
| 12 | 2.166 | F V hekur betoni periodik Ø 6 - 10 mm | ton | 6.3 | | |
| 13 | 2.167 | F V hekur betoni periodik Ø > 10 mm | ton | 2.85 | | |
| 14 | 2.181 | Konstruksione metalike te perbera | ton | 17 | | |
| 15 | 2.401 | Boje vaji siperfaqe metalik | m2 | 1100 | | |
| 16 | 3.375 | Dritare d/alumini tek xham. | m2 | 52.2 | | |
| | | Shuma - I | | | | |
| | | II - Punime elektrike | | | | |
| 1 | 2.481/1 | F.V.Percjelles bakri izolim PVC (1.5mm) | ml | 60 | | |
| 2 | 2.481/2 | F.V.Percjelles bakri izolim PVC (2.5mm) | ml | 120 | | |
| 3 | 2.481/4 | F.V.Percjelles bakri izolim PVC (6mm) | ml | 210 | | |
| 4 | 2.482/1+An | F.V.Kabell bakri fleksibel 3 x 2.5mm | ml | 60 | | |
| 5 | 2.482/1+An | F.V.Kabell bakri fleksibel 5 x 6mm | ml | 130 | | |
| 6 | 480/2+An | F.V.Tub PP fleksibel I forte vetshuares φ 20 | ml | 120 | | |
| 7 | 480/2+An | F.V.Tub PP fleksibel I forte vetshuares φ 40 | ml | 80 | | |
| 8 | 2.487 | F.V.Kuti derivacioni me kapak me vida PT-2 | cope | 8 | | |
| 9 | 2.487 | F.V.Kuti derivacioni me kapak me vida jashte murit 10 x 10 | cope | 1 | | |
| 10 | 2.487 | F.V.Kuti per celesa dhe priza 3 module te kompletuara me suport dhe kapak | cope | 5 | | |
| 11 | 2.483 | F.V.Celes ndricimi 1-polar 10A , 250V | cope | 5 | | |
| 12 | An | F.V.Rele ndricimi | cope | 1 | | |
| 13 | 2.485 | F.V.Prize 2P 10/16A,250V (shuko) | cope | 8 | | |
| 14 | An | F.V.Kuader elektrik brenda murit 8 module sipas skemes elektrike e kompletuar me automate dhe togezim | cope | 1 | | |
| 15 | An | F.V.ndricues Shirit Led Ndririm te ngrohet | ml | 150 | | |
| 16 | An | F.V.ndricues me llampa fuoresherte IP65 ,fl 1x58w | cope | 8 | | |
| 17 | 2.490/1b | F.V Automat termo/el.manj. diferencial 2P 220V, 16A | cope | 4 | | |
| 18 | 2.490/1d | F.V Automat termo/el.manj. diferencial 2P 220V,32A | cope | 1 | | |
| | | Shuma - II | | | | |
| | | Shuma - E (SHUMA I DERI SHUMA II) | | | | |

| | | | | | | |
|--|--|------------------------|--|--|--|--|
| | | SHUMA A+B+C+D+E | | | | |
| | | Fondi rezerve 5% | | | | |
| | | SHUMA | | | | |
| | | 20 % TVSH | | | | |
| | | SHUMA TOTALE | | | | |

| Pajisje | | | | | | |
|-----------------------------|----------|--|-------------|-------|---------------|-------|
| Nr. | Nr.Anal. | EMERTIMI I PUNIMEVE | Njesia | Sasia | Cmimi me tvsh | SHUMA |
| 18 - Kendi i lodrave | | | | | | |
| 1 | An | Loder plastike kompleks rreshkitse+shilars | | 1 | | |
| 2 | An | Pelikundese | | 3 | | |
| 3 | An | Lekundes suste | | 5 | | |
| 4 | An | Shtepi e madhe plastike | | 1 | | |
| 5 | An | Rampe druri per ngjitje | | 1 | | |
| 6 | An | Ure metalike | | 1 | | |
| 7 | An | Rampe druri+litar | | 1 | | |
| 8 | An | Shilars metalik me zinxhir | | 2 | | |
| 9 | An | Loder plastike kompleks rreshkitse tub | | 1 | | |
| | | Shuma - 18 | <i>leke</i> | | | |
| 20 - Mobilimi urban | | | | | | |
| 1 | An | F.V.stola druri me pergola | <i>cope</i> | 111 | | |
| 2 | An | F.V.Kosha mbeturinash | <i>cope</i> | 51 | | |
| | | Shuma - 20 | | | | |
| Totali | | | | | | |

| | | | | | | |
|--|--|------------------------------|--|--|--|---|
| | | | | | | |
| | | SHUMA E PLOTE PA TVSH | | | | - |
| | | SHUMA E PLOTE ME TVSH | | | | - |