

OBJEKTI: Sistemimi dhe Asfaltimi i rruges Ded Shabani - Azem Hajdari

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	244,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	244,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	2 554,0		
4	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	1 000,0		
5	3,210	Shtrese çakelli mbeturine kave t=15cm, perhapur e ngjeshur makineri	m2	1 440,0		
6	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	503,0		
7	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	2 057,0		
8	3.224/1	Shtrese asfaltobetoni me granil guri kave, 3cm, me makineri	ml	2 057,0		
9	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	4 114,0		
10	3.An/1t	F V tuba te brinjezuar HDPE SN8 d=315 mm	ml	18,0		
11	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	1 006,0		
12	3.An/1t	F V tuba te brinjezuar HDPE SN8 d=315 mm	ml	18,0		
13	Analize	Pusete hyrje-dalje (100x100x100) per Tombino 300	cop	3,0		
14	Analize	Ure 4m	cop	1,0		
15	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
16	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
17	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma I				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rrugeve te Lagjes Balldre

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	1 415,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	1 415,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	5 056,0		
4	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	5 056,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	1 264,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	3 857,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	4 877,0		
8	3.222/2	Shtrese binderi me granil gur kave,6cm,me makineri	m2	1 020,0		
9	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	3 548,0		
10	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
11	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
12	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		

		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges Dragushe - Mabe, Dajc

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	913,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	913,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	4 080,0		
4	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	4 080,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	945,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	3 629,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	3 629,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	1 890,0		
9	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
10	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
11	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimin dhe Asfaltimin i rruges Zejmen –Gajush

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	517,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	517,0		
3	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	3 785,0		
4	3.212/b	Shtrese stabilizant t=10cm	m2	3 785,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	757,7		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	3 028,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	3 028,0		
8	3.224/1	Shtrese asfaltobetoni me granil guri kave, 3cm, me makineri	m2	3 028,0		
9	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	1 514,0		
10	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
11	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
12	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rrugeve te Lagjes Gjader

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	484,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	484,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	2 060,0		
4	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	2 060,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	495,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	1 165,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	4 722,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	990,0		
9	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
10	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
11	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges hyrse ne fshatin Gocaj, Balldre

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	169,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	169,0		
3	3.212/b	Shtrese stabilizant t=10cm	m2	250,0		
4	An	Skarifikim shtrese asfalti me makineri	m2	1272		
5	3.226/1	Shtrese asfaltobetoni me granil guri kave, 4cm, me makineri	m2	1 472,0		
6	3,210	Shtrese çakelli mbeturine kave t=15cm, perhapur e ngjeshur makineri	m2	250,0		
7	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	368,0		
8	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	200,0		
9	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	1 472,0		
10	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	1,0		
11	An105	Tabela trekendore e vogel me A = 60	cope	1,0		
12	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	1,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges se shkolles Kolsh - Gryk Zeze

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	1 485,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	1 485,0		
3	3.222/1	Shtrese stabilizant t=10cm	m2	5 652,0		
5	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	5 652,0		
7	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	1 413,0		
8	3.224/1	Shtrese asfaltobetoni me granil guri kave, 3cm, me makineri	m2	4 362,0		
9	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	4 362,0		
10	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	5 259,0		
11	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	3 542,0		
12	3,367	Tombino me tuba betoni Ø 1000, mbi shtrese betoni	ml	6,0		
13	Analize	Pusetete hyrje-dalje (180x180x210) per Tombino 1000	cop	1,0		
14	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
15	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
16	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges se Lagjes se re Ishul Shengjin

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	374,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	374,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	1 896,0		
4	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	1 896,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	474,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	1 422,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	1 422,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	948,0		
9	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
10	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
11	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges se Kishes ne qender, Kallmet

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	624,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	624,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	2 336,0		
4	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	2 336,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	540,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	1 796,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	1 796,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	1 080,0		
9	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
10	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
11	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges se Lumnajes

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	739,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	739,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	2 698,0		
4	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	2 698,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	650,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	2 048,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	2 048,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	1 300,0		
9	3,367	Tombino me tuba betoni Ø 1000, mbi shtrese betoni	ml	6,0		
10	Analize	Pusetete hyrje-dalje (180x180x210) per Tombino 1000	cope	1,0		
11	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
12	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
13	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges "Gentjan Marku", Piraj – Blinisht

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	1 638,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	1 638,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	7 822,0		
4	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	7 822,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	1 550,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	6 272,0		
7	3.224/1	Shtrese asfaltobetoni me granil guri kave, 3cm, me makineri		6 272,0		
8	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	6 272,0		
9	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	m2	3 100,0		
10	3.An/1t	F V tuba te brinjezuar HDPE SN8 d=315 mm	ml	30,0		
11	Analize	Pusete hyrje-dalje (100x100x100) per Tombino 300	cop	5		
12	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
13	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
14	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges se poshteme te “Kurtalit”, ne Pllane, Zejmen

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	1 341,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	1 341,0		
3	3.212/b	Shtrese stabilizant t=10cm	m2	4 332,0		
4	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	3 249,0		
5	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	4 332,0		
6	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	1 083,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	1 083,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	2 166,0		
9	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
10	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
11	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges se Gazullorve

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	652,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	652,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	2 118,0		
4	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	2 118,0		
6	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	500,0		
7	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	1 618,0		
8	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	1 618,0		
9	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	1 000,0		
10	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	1,0		
11	An105	Tabela trekendore e vogel me A = 60	cope	1,0		
12	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	1,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges se Varrezave, Dajc

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	518,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	518,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	2 394,0		
4	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	2 394,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	577,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	1 817,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	1 817,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	1 154,0		
9	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
10	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
11	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rrugeve te Lagjes, Shenkoll

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	1 845,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	1 845,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	8 604,0		

4	3,210	Shtrese çakelli mbeturine kave t=15cm, perhapur e ngjeshur makineri	m2	8 604,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	2 151,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	6 453,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	6 453,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	4 302,0		
9	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	10,0		
10	An105	Tabela trekendore e vogel me A = 60	cope	10,0		
11	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	10,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges Smt - Ishull Lezhe

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	850,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	850,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	3 656,0		
4	3,210	Shtrese çakelli mbeturine kave t=15cm, perhapur e ngjeshur makineri	m2	3 656,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	914,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	2 742,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	2 742,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	1 828,0		
9	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
10	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
11	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rrugëve të Lagjes Spiten dhe Tresh, Zejmen

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	1 778,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	1 778,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	6 572,0		
4	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	6 572,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	1 460,0		

6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	5 113,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	5 113,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	2 920,0		
	2.262/4	Shtrese betoni C 16/20	M3	51,0		
	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	8,0		
	An105	Tabela trekendore e vogel me A = 60	cope	8,0		
	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	8,0		
		Shuma				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges ne fshatin Tale 1 dhe Rruges se Shkolles

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	1 794,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	1 794,0		
3	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	6 744,0		
4	3.212/b	Shtrese stabilizant t=10cm	m2	6 744,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	1 686,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	5 251,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	5 251,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	3 372,0		
9	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	4,0		
10	An105	Tabela trekendore e vogel me A = 60	cope	4,0		
11	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	4,0		
		Shuma I				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rruges nga Ura Cenit te shinat e trenit, Lezhe

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	487,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	487,0		
3	3.212/c	Shtrese stabilizant t=10cm	m2	2 418,0		
4	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	2 418,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	558,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	1 681,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	1 681,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	1 116,0		

9	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
10	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
11	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma I				
		TVSH 20 %				
		Shuma me tvsh				

OBJEKTI: Sistemimi dhe Asfaltimi i rrugëve të Lagjes Zejmen, Qender

Nr	Nr.an	PERSHKRIMI I PUNIMEVE	Njesia	Sasia	Çmimi	SHUMA
1	3.89/a	Germi skarifikim 10-15 cm	m3	753,0		
2	3.158/5a	Transport dheu me auto deri 5.0 km	m3	753,0		
3	3,211	Shtrese çakelli mbeturine kave t=20cm, perhapur e ngjeshur makineri	m2	3 584,0		
4	3.212/b	Shtrese stabilizant t=10cm	m2	3 584,0		
5	3.212/b	Shtrese stabilizant t=10cm bankinat	m2	896,0		
6	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	2 688,0		
7	An	Sperkatje me emulsion bituminoz 1 l/m2	m2	2 688,0		
8	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	ml	1 792,0		
9	An57	Sinjale "emër rruge" LxH e vogël 60x20	cope	2,0		
10	An105	Tabela trekendore e vogel me A = 60	cope	2,0		
11	An99	Tabele rrethi "detyrim" e vogel me D = 40	cope	2,0		
		Shuma I				
		TVSH 20 %				
		Shuma me tvsh				