

**MIRATOI
KRYETARI BASHKISE
Eriselda SEFA**

P R E V E N T I V

**OBJEKTI : "RIKONSTRUKSIONI I SHKOLLES SKENDER LIBOHOVA+SHTESE ANESORE"
"Lagja SKENDER LIBOHOVA Lushnje"**

Nr	N/ an.	Pershkrimi i punimeve	Njesia	Sasia	Çmimi	Vlera
1-Punime prishje						
1	An	Prishje suvatimi	m2	2020		
2	2.426/3	Prishje shtresash betoni +pllaka	m3	103		
3	2.426	Prishje mur tulle pa pastrim	m3	5		
4	An	Heqje dyer dhe dritare	m2	350		
5	An	Heqje bazamak shkallësh +davancale dritare	m2	117		
6	2.37/5a	Trasport mbeturinash deri 5 km	m3	200		
					Shuma 1	
2-Punime catie+ tarrace						
7	An	Shtrese lluster cemento 4cm	m2	190		
8	2.262	Shtrese betoni c6/10 ,10 cm *niveluese	m3	19		
9	2.239/a	Shtrese polesteroli t=10cm	m2	190		
10	2.197	H/izolim emulsion bitumi me 2 duar k.katrama	m2	190		
11	2.209/b	Ulluk shkarkimi vertikal me llamarine bakerr fi 120 mm	ml	107		
12	2.212/b	Ulluk shkarkimi horizontal me llamarine bakerr 33 cm	ml	150		
13	2.203	Mbulim me llamarin (impluve)	m2	35		
14	2.206	Kasete shkarkimi me llamarine xingat	copë	2.0		
15	2.219	Cati vendi e zakonshme me HD deri 8 m me tjegulla marseljeze	m2	733		
16	2.297/a	Tavane me kartonxhes	m2	100		
					Shuma 2	
3-Punime suvatimi						
17	2.300	Suvatim tavani me krahe me h=4m	m2	670		

18	2.310	Suvatim i brendshem me krahe	m2	3050		
19	2.404	Lyerje me boje plastike brenda	m2	6050		
20	2.403	Boje vaji mbi sipërfaqe te patinuar ne H = 1.2 m	m2	405		
21	2.404/1	Lyerje me boje hidroplastike importi cil.I JASHTE	m2	1300		
22	2.328	Patinim muri allci-stuko	m2	2330		
23	2.358/c	Veshje fasade me polest. kompakt5cm+rrjet +suva	m2	1010		
					Shuma 3	
		4-Punime shtresash dhe nenshtresash				
24	2.262	Shtrese betoni c6/10 ,10 cm *niveluese	m3	206		
25	2.195	Shtrese me dy duar bitum dysheme	m2	670		
26	2.267/1	Shtrese me pllaka PORCENALAT importi	m2	2060		
27	2.326	Veshje me pllaka majolike * banjo	m2	423		
28	2.324/b	Plintuse pllake gres h=10cm	ml	1100		
29	2.268/a	Shkalle montazhi mermeri	m2	59		
30	An	F.V korimano druri	ml	35		
31	2.268/a	Davanciale dritare mermer	m2	80		
					Shuma 4	
		5-Punime dyer-dritare				
32	2.375/a	F.v dritare dural dyfish xham	m2	190		
33	2.383/1	F.v dyer te brendshme druri cilesia I	m2	94		
34	2.395	F.v dyer dural per banjot tek xham	m2	45		
35	2.373/1	F.V. vetrat plastike me dopio xham (dyert e hyrjes ekzistuese)	m2	10		
36	An	F.V Dyer antizjarri me doreze antipaniku (emergjence)	m2	9.5		
					Shuma 5	
		6-Punime hidro-sanitare				
37	2,495	F.V. lavaman porcelani + mishelator	cope	16		
38	2,504	F.V. wc allaturka+kasete shkarkimi	cope	22		
39	2,515	F.V.Pileta dysheme	cope	8		
40	2,520	F.V. Tub PVC dhe rakorderi dn 110 mm	ml	52		
41	An	F.V. Tub PVC dhe rakorderi dn 50 mm	ml	14		
42	2.494/5	Saracineska bronzi Ø 2 " = 50 mm	cope	1		
43	An	F.V. Panel diellor per uje te ngroht	cope	2		
44	2.491/b	F.V. Tub rakorderi ujesjellesi PPR t= 20-25 mm, pn 16	ml	120		
45	2.491/d	F.V. Tub rakorderi ujesjellesi PPR t= 40 mm, pn 16	ml	100		

46	2.494/2	F.V. saracineske bronxi dn 25 mm	cope	8		
					Shuma 6	
		7-Punime per sistemin MNZ				
47	2.492	F.V. Tub i xinguar $\varnothing > 1''$	kg	90		
48	2.510	F.V hidrante $\varnothing 50$ mm(kasete hidranti kompletuar)	cope	9		
49	An	F.V. Pulsante alarmi	cope	6		
50	2.a-117	F.V. Siren e jashtme - artopolant	cope	3		
51	An	F.V. Dedektore optik	cope	110		
52	An	F.V. Panel qendror per dedektoret	cope	1		
53	2.481	F.V percjelles PV-500 $\varnothing 1$ mm ²	ml	4000		
54	An	F.V. Bombula fikse zjarri	cope	27		
					Shuma 7	
		8-Punime per sistemin e kamerave				
55	An	F.V. Kamer Glob	cope	1		
56	An	F.V. Kamer te jashtme 8 mega pixel	cope	8		
57	An	F.V. Kamer te brendshme 5 mega pixel	cope	15		
58	An	F.V. Kabull (power + line)	ml	1000		
59	An	F.V. NVR/DVR ME 24 PORTA	cope	1		
60	An	F.V. ushqyes per kamerat	cope	3		
61	An	F.V. HDD 2 TB	cope	2		
62	An	F.V. UPS bateri per sistemin	cope	1		
63	An	F.V. Monitor 50 inch	cope	1		
64	An	F.V. Switch me 24 porta	cope	1		
					Shuma 8	
		9-Punime elektrike				
65	2.490/f	F.V Kasete plastike KE me 36 modular (vende)	cope	1		
66	2.490/d	F.V Kasete plastike KE me 12 modular (vende)	cope	4		
67	2.490/1e	FV Rele diferenciale 4x32A /0.03A 380V	cope	4		
68	2.a.108	Magnetotermik 2x20A 230V	cope	8		
69	2.485/3	Celes dIN,1 modul ,2x6A	cope	5		
70	2.485/3	FV celsa 10A 230V Ticino	cope	75		
71	2.485/i	FV prize shuko universale 2P+T 230V 16A Ticino	cope	120		
72	2.490/b	F.V Kaseta Plastike KE me 6 modular	cope	13		
73	2.490/1	F.V Automat termo/elektro magnetik. Dif.2P 220V, 32A, ID=0.03 A	cope	17		
74	2.a-105	F.V Automat termo/elektro magnetik. Dif.4P 380V, 40A	cope	4		

75	2.a-104	F.V automjet magnetotermik 4*80A/380V	cope	1		
76	2.487/f	FV Kuti suport pllaket Ticino	cope	170		
77	2.487	FV kuti derivacioni	cope	70		
78	2.480/2	FV tub plastik Ø20	ml	580		
79	2.480/5	FV Tub plastik Ø32	ml	470		
80	2.481/1	FV percjelles 1.5mm ²	ml	2500		
81	2.481/2	FV percjelles 2.5mm ²	ml	850		
82	2.481/3	FV percjelles 4mm ²	ml	2200		
83	2.481/4	FV percjelles 6mm ²	ml	350		
84	2.a-97	FV percjelles tokezimi i cveshur Cu 50mm ²	ml	35		
85	4.142/1.29	F.V.kabllo kontrolli Cu pa armuar, 4x4 mm ²	ml	20		
86	2.a-74	FV elektroda tokezimi L=2.5	cope	5		
87	2.a-137	Ndricues flureshent 4x18w per klasat	cope	55		
88	2.a-124	Ndricues fluoreshent 1x40W per korridor	cope	50		
89	2.a-136	Ndricues plafonier 1X60W per WC	cope	15		
					Shuma 9	
		10-Sistemi mbrojtjes atmosferike				
90	2.a-98	F.V shirit tokezimi i xinguar horizontal 30*3mm	ml	303		
91	An	F.V shtize ,me maje te xinguar L=0.6m d=16mm	cope	24		
92	An	F.V morseteri, bashkuese tip "Ti"	cope	24		
93	An	F.V morseteri, bashkuese lidhje paralele	cope	12		
94	An	F.V morseteri, bashkuese tip "Kryq"	cope	13		
95	An	F.V shkeputes per matjen e tokezimit, ndares , seksionues Zn tip 22CP	cope	8		
					Shuma 10	
		11-Punime pershtatshmerie per PAK				
96	2.426/3	Prishje shtresa betoni	m ³	1		
97	2.1/a	Germim dheu me krah e trasport k.dore deri 10m	m ³	4		
98	2.37/4a	Trasport dheu me makineri deri 4km	m ³	4		
99	2.258	Shtrese zhavori (t=10cm)	m ³	1		
100	An	F.v ashensore me gabine xhami	cope	1		
101	2.111/2	Mure betoni c-12/15	m ³	2		
102	2.262/4a	Pllake themeli c20/25	m ³	1		
103	3.240	Struktura monolite betoni c 12/15	m ³	5		
104	2.166	F.V hekur betoni Ø10 mm	kg	165		

105	2.200	Shtrese lluster cemento 4cm	m2	16		
106	2.262/4	Shtrese betoni C16/20	m3	2		
107	2.182	Konstruksione metalike te thjeshta	ton	0.2		
					Shuma 11	
		12-Punime sistemime te jashtme				
108	2.258	Shtrese zhavorr 10 cm	m3	30		
109	2.166	F.V zgare hekuri betoni	ton	1.2		
110	2.289	Shtrese betoni e ferkuar me helikopter	m2	300		
111	3.An/1t	F V tuba te brinjezuar HDPE SN8 d=315 mm	ml	130		
112	An-22/1	Puseta shimbledhese b/a 40x40 me kapak gize	cope	4		
113	2.575	Puseta kontrolli 1x1x1.5m	cope	2		
114	2.401	Boje vaji sipërfaqe metalike	m2	165		
115	An	F.v kosha mbeturinash	cope	6		
					Shuma 12	
		13-Punime te sistemit te ngrohjes				
116	An - 25	Radiator alumini me 12 elemente	Cope	140		
117	An - 26	Kaseta per kolektor 1850	Cope	30		
118	An - 27	Stafa per kolektor	Cope	30		
119	An - 28	Kolektor 1 1/4x11 dalje	Cope	30		
120	An - 29	Valvula kendore termostatikr 1/2	Cope	140		
121	An - 30	Detentor kendor 1/2	Cope	140		
122	An - 31	Rekord multi-fit 16x2x1/2	Cope	300		
123	An - 32	Kit universal 1/2 me ganxha per radiator	Cope	140		
124	An - 33	Saracineske kendore per kolektore 1 1/4	Cope	12		
125	An - 34	Rekord I drejte filet mashkull 1 1/4x40	Cope	50		
126	An - 35	Niple 1/2x1/2 per kolektor	Cope	400		
127	An - 36	Rekord fundor per fil mashkull 1 1/4	Cope	30		
128	An - 37	Valvola automatike per nxjerrje ajri 1/2	Cope	30		
129	An - 38	Valvola sferike per shkarkim uji 1/2	Cope	30		
130	An - 39	Bryla 40x40	Cope	30		
131	An - 40	Rekord I ndermjetem	Cope	90		
132	An - 41	Tubo multistrade 40x3.5	ml	200		
133	An - 42	Tubo multistrade I izoluar 16x2	ml	6000		
134	An - 43	Rozeta ϕ 16	cope	300		
135	An - 44	Komande termostatike me element te ndjeshem vaji	cope	130		
136	An - 45	Ti 40x40x40	cope	40		

137	An	F.v kaldaje me lend djegese pelete kompletuar me fuqi 400 Mcal (Motorr,ventilator,centralin,pomp qarkulluese,tub largimit te gazrave ,ekspansor,)	Cope	1		
					Shuma 13	
14-Punime te Shkalles se Emergjences						
138	2.182	Konstruksion metalik per shkallet e emergjences komplet	ton	3.0		
139	3.88/a	Germim dheu me ekskavator goma 0.25 m ³ , ne kanale gjeresi deri 2 m, prani uji, kategoria III, me shk ne toke	m ³	5.0		
140	3.243/1	Struktura te holla monolite betoni C 16/20 per themele te shkalles se emergjences	m ³	2.0		
					Shuma 14	
15-Punime Gërmimi dhe mbushje						
141	3.137	Germim dheu me ekskavator goma 0.15 m ³ , ne themele, toke zak, kategoria III, me shkarkim ne toke	m ³	50.0		
142	2.5	Germim e mbushje dheu me krah per themel	m ³	10.0		
143	2.37/2a	Transport dheu deri 2 Km	m ³	40.0		
144	2.426	Prishje mur tulle pa pastrim	m ³	5.0		
145	2.426/3	Prishje shtresa betoni	m ³	5.0		
					Shuma 15	
16-Punime Murature						
146	2.70/2	Mur me tulle te lehtesuara dopio deri 3m me llaç perzier M25	m ³	4.9		
					Shuma 16	
17-Punime Betoni dhe B/a e hekuri						
147	2.262/3	Shtrese Betoni C 12/15 (per shtrese niveluse plinti t=10cm)	m ³	3.5		
148	3.245	Strukture Monolite C 25/30 (beton per plinta +trare lidhes)	m ³	32.0		
149	2.117/1b	Kollona b/a monolite C 25/30 h ~ 4m	m ³	28.5		
150	2.119/1a	Trare e arkitrare b/a C20/25 h ~ 4m	m ³	34.0		
151	3.243	Strukture Monolite C 16/20 (Brez Betoni C 16/20)	m ³	4.5		
152	2.126	Soleta b/a monolite me tulla me 6 vrima, Hd = 6m, trashesi 25cm C 15/20	m ²	400.0		
153	2.262/4	Shtrese Beton C 16/20 per katin perdhe+ mure xokolature t = 20 cm	m ³	21.0		
154	2.166	F.V Hekur Feb44k ose Bst 500S d ≤ 10 mm	ton	9.64		
155	2.167	F.V Hekur Feb44k ose Bst 500S d > 10 mm	ton	20.50		
					Shuma 17	
18-Punime shtresash						
156	3.352	Mbushje me gur kave (t = 40 cm nen soleten e dyshemese)	m ³	70		
157	2.261	Shtrese rere (tmes=8cm)	m ³	12.6		

					Shuma 18	
19-Punime dyersh e dritaresh						
158	An. Man.2	Veshje fasade me xham struktural i pathyeshem	m ²	330.0		
					Shuma 19	
20-Reabilitimi i tapetitt ne terrenin sportiv						
159	3.89/b	Germim dheu me ekskavator goma 0.25 m ³ , ne kanale gjeresi > 2 m, toke zak, kategoria III, me shk ne mjet(SKARIFIKIM I TERRENIT EKZISTUES)	m3	153		
160	3.158/1a	Trarport dheu deri 1 km	m3	153		
161	3.212/b	Shtrese stabilizanti t=10 cm	m2	153		
162	2.261	Shtrese rere 5cm	m3	45.9		
163	An	Fv gome 12 kg m2	m2	1530		
164	An	F.V tapet bari sintetik , gjatesia e fijos t=20mm materiali PE +lateks	m2	1530		
					Shuma 20	
					Shuma 1+2+3+4+5....+20	
					Fond Rezerve 2%	
					Shuma	
					Tvsh 20%	
					Totali	

Punoi: Ark. Alban Manoku
Ark. Entjol Monka
Ing. Ariola Beqo
Ing.Gani Myzeqari
Ing.Ersi Veliu
Ing.Arben Muca

Drejtoria e planifikimit te territorit
Ing. Mimoza Haxhiu