

PREVENTIV

OBJEKTI: RIKONSTRUKSION ME NDRYSHIM FUNKSIONI NGA ISH CERDHE NE QENDER RINORE, QYTET PERMET

Nr	Nr. i Analizes	Pershkrimi i Punimeve	Njesia	Sasia	Çmimi	Vlera
A PUNIME NDERTIMI						
A-1 PUNIME PRISHJE DHE CMONTIMI						
A-1.1	2.426/1	Prishje mur tulle me pastrim (muret e brendshme)	m ³	9.50		
A-1.2	Analize	Prishje shtrese parketi (dhomat)	m ²	132.0		
A-1.3	Analize	Cmontim - heqje dyer dritare	m ²	60.0		
A-1.4	Analize	Cmontim - heqje ullqesh vertikale	ml	26.0		
A-1.5	Analize	Heqje pllaka grez ne vertikalitet (nyjet sanitare)	m ²	42.0		
A-1.6	Analize	Heqje pllaka grez importi, 40x40cm (shtresa nyjesanitare)	m ²	14.0		
A-1.7	Analize	Prishje suvatim muri i brendshem	m ²	2,100.0		
A-1.8	Analize	Prishje suvatim tavani t=3 cm	m ²	536.0		
A-1.9	Analize	Heqje shtrese hidroizolim e tarraces	m ²	355.9		
A-1.10	Analize	Cmontim dhe montim kangjella egzistuese (dritare ballkon kati pare)	ton	0.70		
A-1.11	Analize	Cmontim ndricues perfshi rrjetin perkates elektrik (komplet) + transport 5km	shume	1.0		
A-1.12	Analize	Cmontim i nyjeve hidrosanitare (wc, boiler, pllake dushi, lavaman)	shume	4.0		
A-1.13	2.37/5b	Transport mbeturina ne vendin e caktuar nga Bashkia deri ne10km	m ³	50.0		
Shuma A-1			Leke			
A-2 PUNIME TARRACE						
A-2.1	2.121/1	Brez b/a C 16/20, h ~ 8 m	m ³	1.8		
A-2.2	2.239/a	Shtrese termoizoluese me polisterol t=10 cm	m ²	355.0		
A-2.3	2.197	Hidroizolim me emulsion bitumi dhe 2 shtrese k katrama	m ²	355.0		
A-2.4	2.264	Shtrese lluster cemento 1:2	m ²	355.0		
A-2.5	2.203	Veshje kornize llamarine xingat ne kornizen e tarraces	ml	92.0		
A-2.6	2.209	Ulluk shkarkimi vertikal me llamarine xingat Ø 100 mm	ml	26.0		
A-2.7	2.206	Kasete shkarkimi me llamarine xingat	cope	4.0		
Shuma A-2			Leke			
A-3 PUNIME SHTRESASH						
A-3.1	2.262/3	Shtrese betoni C12/15 (Shtrese niveluese 3-5 cm+rampa)	m ³	7.100		
A-3.2	2.196/c	Hidroizolim ne nyje sanitare me dy shtresa mapej + 15 cm ne faqe anesore	m ²	14.0		
A-3.3	2.276	Shtrese parketi laminat	m ²	132.0		

A-3.4	2.267/1	Shtrese me pllaka porcelanat importi (dysHEME + faqe anesore ne nyjet sanitare)	m ²	56.0		
		Shuma A-3	Leke			
A-4		PUNIME SUVATIMI DHE VESHJE				
A-4.1	2.3	Suva solete h ~ 4 m me drejtues, me krah	m ²	536.0		
A-4.2	2.31	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m ²	2,100.0		
A-4.3	2.358/b	Veshje fasade me polisterol kompakt jeshil t=5cm + rrjete + suva.	m ²	465.0		
A-4.4	2.308/a	Suvatim strehe me grafiato M-25	m ²	92.0		
A-4.5	2.86	Mur me tulle me 6 vrima, t=12cm, h~3m, llaç perzier M15	m ³	1.50		
		Shuma A-4	Leke			
A-5		PUNIME DRITARE DHE DYER				
A-5.1	2.375/1	F V dritare d/alumini me dopio xham	m ²	64.2		
A-5.2	2.395/a	Dere d/alumini pa xham,me mbushje d/a. (Tualetet)	m ²	8.1		
		Shuma A-5	Leke			
A-6		PUNIME BOJATISJE				
A-6.1	2.404/1	Boje hidroplastike importi cilesi e I-re (Fasada e jashtme)	m ²	465.0		
A-6.2	2.404/1	Boje hidroplastike importi cilesi e I-re (Tavanet)	m ²	536.0		
A-6.3	2.404/1	Boje hidroplastike importi cilesi e I-re (Muret e brendshme)	m ²	2,100.0		
A-6.4	2.401	Boje vaji siperfaqe metalik (kangjellat e dritareve)	m ²	25.0		
		Shuma A-6	Leke			
A-7		PUNIME TE NDRYSHME				
A-7.1	An	F + V davancale mermeri cilesore t=2cm me pikore nga jashte	m ²	18.0		
	2.288	Trotuar me pllaka granili me boje pa borduren e betonit	m ²	30.0		
	2.29	Bordura trotuari 20x35cm te parapergatitura	ml	20.0		
		Shuma A-7	Leke			
		Shuma A (Punime Ndertimore)	Leke			
B		PUNIME ELEKTRIKE				
B-1		Instalime Elektrike				
B-1.2	2.490/f	F.V Kasete plastike KE me 36 modular (vende)	cope	2.0		
B-1.3	2.a-104	Automat termo elekt-mag 4P,380V,100 A	cope	1.0		
B-1.4	2.490/1e	F.v automat termo elekt-mag HP-63A	cope	1.0		
B-1.5	2.a-105	Automat termo elekt-mag 4P,380V,40 A	cope	2.0		
B-1.6	2.490/1	F.v automat termo elekt-mag HP-32A	cope	4.0		
B-1.7	2. a-108	Automat magneto-termik 380V,25A, 4P	cope	3.0		
B-1.8	2.490/1b	Automat Mag-Termik 16A 2P-220V	cope	18.0		

B-1.9	2.a-101	Automat Mag-Termik 20A 2P-220V	cope	6.0		
B-1.10	2.490/1a	Automat Mag-Termik 10A 2P-220V	cope	30.0		
B-1.11	2.487	Kuti derivacioni PT-7	cope	66.0		
B-1.12	2.487	Kuti derivacioni PT-5	cope	30.0		
B-1.13	2.487	Kuti derivacioni PT-3	cope	42.0		
B-1.14	2.485/d	Priza 2P+T 16-25A/250V shuko universale	cope	50.0		
B-1.15	2.485/5	F.v Çeles 10A/250V me dy pulla	cope	40.0		
B-1.16	2.485/2	F.v Çeles 10A/250V me nje pulle	cope	3.0		
B-1.18	480/5	Tube P.V.C.fleksibel Ø 31-36	ml	150.0		
B-1.19	480/3	Tube P.V.C.fleksibel Ø 22-26	ml	600.0		
B-1.20	480/2	Tube P.V.C.fleksibel Ø17-21	ml	250.0		
B-1.21	An	Kabell P.V.C. 3x1,5mm ²	ml	250.0		
B-1.24	2.481/4	Percjelles CU-1X6 mm ²	ml	350.0		
B-1.25	2.481/3	Percjelles CU-1X4 mm ²	ml	300.0		
B-1.26	2.481/2	Percjelles CU-1x2.5 mm ²	ml	1,480.0		
B-1.27	2.481/1	Percjelles CU-1x1.5 mm ²	ml	1,480.0		
B-1.28	2. a-112	Panel metalik IP65(700x550x250mm)	cope	1.0		
B-1.29	2. a-120	Llampe sinjalizimi 220V;1.2w	cope	4.0		
B-1.30	3.An/et	F.v elektroda tokezimi te xinguara profil; l=150m (mbrojtja atmosferike)	cope	4.0		
B-1.31	2.a-98	Percjelles shirit zinku tokezimi, Zn= 30x3mm (mbrojtja atmosferike)	ml	115.0		
B-1.32	An	F.v kabell interneti	ml	150.0		
B-1.33	2.483	Prize interneti	cope	15.0		
		SHUMA B (Punime elektrike)				
C	PUNIME HIDRAULIKE					
		Shkarkimet ne planimetri te WC-ve				
C-3.1	An.5.1	F.V Tubo shkarkimi PP d110	ml	25.0		
C-3.2	An.5.2	F.V Tubo shkarkimi PP d75	ml	30.0		
C-3.3	2.491/a	F.V Tuba e rakorderi ujesjellesi PE d=20mm, t = 2.0 mm, PN 10	ml	150.0		
C-3.4	2.512/2	F.V Kolektor shpendares 3/4" (4+4)	cope	1.0		
C-3.5		Sistemi kunder zjarrit				
C-3.6	An.1.10	F.V Tabele fikse zjarri me pluhur	cope	4.0		
C-3.7	An.V.1.12	V. Fikse zjarr me pluhur, destinacioni per mbrojtjen e paisjeve elektrike ne ndertes. Tip bombel (e levizshem). Klasa e zjarrit 55A-233BC, kapaciteti normal 12 kg, pesha 17.6 kg. Diametri 190mm, lartesia 640 mm.	cope	4.0		
		SHUMA C (Punime hidraulike)	Leke			

D	MAKINERI E PAISJE (HIDROSANITARE, NGROHJE, ELEKTRIKE)					
D-1		Pajisje Elektrike				
D-2	2.a-127	F.v Ndricues FL-(2X36)W IP-40	cope	76.0		
D-3		Sistemi kunder zjarrit				
D-4	An.F.2.2	F. Fikse zjarr me pluhur, destinacioni per mbrojtjen e paisjeve elektrike ne ndertes. Tip bombel (e levizshem). Klasa e zjarrit 55A-233BC, kapaciteti normal 12 kg, pesha 17.6 kg. Diametri 190mm, lartesia 640 mm.	cope	4.0		
D-5		Makineri dhe Pajisje Hidrosanitare				
D-6	2.501	F.V WC allafrenga importi	cope	8.0		
D-7	2.495	F.V Pajisje hidrosanitare Lavaman porcelani importi me mishelator	cope	8.0		
D-8		Sistemi i ujit te ngrohte Sanitar				
D-9	An - 16	F bolier 12 liter, uje te ngrohte sanitar	cope	4.0		
		SHUMA D				
KAP.	PERMBLEDHJE					
A		PUNIME NDERTIMI				
B+C		PUNIME ELEKTRIKE + HIDRAULIKE				
D		PAJISJET				
		SHUMA A+B+C+D PA TVSH				
		TVSH 20 %(A+B+C)				
		TOTALI				