



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Nafetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

TABELA PERMBLEDHESE

Objekti: **PERMIRESIMI I KUSHTEVE TE BANIMIT PER FAMILJET E VARFERA DHE TE PAFAVORIZUARA**
Investitor : **Bashkia Patos**

Nr.	Emri I perfituesit	Njesia	Vlera me TVSH
1	B.FN.1	leke	-
2	B.FN.2	leke	-
3	B.FN.3	leke	-
4	B.FN.4	leke	-
5	B.FN.5	leke	-
6	B.FN.6	leke	-
7	B.FN.7	leke	-
8	B.FN.8	leke	-
9	B.FN.9	leke	-
10	B.FN.10	leke	-
11	B.FN.11	leke	-
12	B.FN.12	leke	-
13	B.FN.13	leke	-
14	B.FN.14	leke	-
15	B.FN.15	leke	-
16	B.FN.16	leke	-
17	B.FN.17	leke	-
18	B.FN.18	leke	-
19	B.FN.19	leke	-
20	B.FN.20	leke	-
TOTALI			-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari" Rruga: Unaza Tel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-1**
Investitor : **Bashkia Patos**
Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		<i>I. Punime prishje</i>				
1	2.426	Prishje mur tulle pa pastrim	m3	3.50		-
2	2.426/4	Prishje soleta b/a	m3	15.00		-
3	2.426/7	Prishje kollona, trare b/a	m3	0.38		-
4	2.37/5a	Transport materiale ndertimi, dheu me auto deri 5.0 km	m3	15.00		-
5	An	Prishje themel betoni	m3	6.50		-
		Shuma 1				-
		<i>II. Punime Germimi</i>				
1	2.1	Germim dheu me krahe e transport me k dore 10 m, kategoria III	m3	2.10		-
2	2.37/5a	Transport dheu me auto deri 5.0 km	m3	2.10		-
		Shuma 2				-
		<i>III. Punime Murature</i>				
1	2.64/2	Mur me tulle plota ne lartesi deri 3m me llaç perzier M 25	m3	5.00		-
		Shuma 3				-
		<i>IV. Punime betoni dhe B/a e hekuri</i>				
1	2.258	Nenshtrese zhavori 20 cm	m3	2.50		-
2	2.109/2	Themel e xokol betoni C - 12/15	m3	3.30		-
3	2.121/1	Brez b/a C 16/20, h ~ 8 m	m3	1.10		-
4	2.125/1a	Soleta b/a me polisterol dhe rrjete teli C 20/25 t=30cm, h~6m	m2	55.00		-
5	2166	F.V hekur betoni Ø < 10	kg	500.00		-
6	2167	F.V hekur betoni Ø >10	kg	1200.00		-
		Shuma 4				-
		<i>V. Punime h/izolimi e tarace</i>				
1	2.197	Hidroizolim me emulsion bitumi dhe 2 shtrese k katrama	m2	73		-
2	2.239/a	Material I lehtesuar per pjerresi, izobeton (h _{mes} =8 cm)	m3	0.73		-
3	2.200	Shtrese lluster cemento 1:2, t = 20 mm	m2	73		-
4	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	0.00		-
5	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	7.00		-
		Shuma 5				-
		<i>VI. Punime Suvatimi e bojatisje</i>				

1	2.300	Suva solete h ~ 4 m me drejtues, me krah	m2	45.0		-
2	2.310	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m2	56.0		-
		Shuma 6				-
		VII. Instalime elektrike				
1	2.490/d	F.V Kasete plastike KE me 12 modular(vende)	cope	1		0.00
2	2.490/1c	F.V Automat termo/el.manj. diferencial 2P 220V, 32A	cope	1		0.00
3	2.490/1b	F.V Automat magnetotermik 16A 2P-220V	cope	4		0.00
4	2.a-101	F.V Automat magnetotermik 20A 2P-220V	cope	2		0.00
5	2.490/1a	F.V Automat magnetotermik 10A 2P-220V	cope	1		0.00
6	2.a-120	F.V Llampe sinjalizimi 220V;1.2w	cope	1		0.00
7	An	F.V Kuti derivacioni PT-7 plastike	cope	1		0.00
8	An	F.V Kuti derivacioni PT-5 plastike	cope	4		0.00
9	An	F.V Kuti suport pllaket 3 modular	cope	10		0.00
10	An	F.V Tap fallco	cope	10		0.00
11	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	15		0.00
12	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	4		0.00
13	2.485/2	F.V Çeles 10A GEWIS	cope	4		0.00
14	An	F.V Çeles deviat 10A GEWIS	cope	2		0.00
15	An	F.V Çeles Invertitor 10A GEWIS	cope	1		0.00
16	480/3	F.V Tubo P.V.C.fleksibel Ø25	ml	25		0.00
17	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	25		0.00
18	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	25		0.00
19	2.481/4	F.V Percjelles PV-500.1x6mm2 (zeze)	ml	10		0.00
20	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	10		0.00
21	2.481/4	F.V Percjelles PV-500.1x6mm2 (verdh-jeshil)	ml	10		0.00
22	2.481/3	F.V Percjelles PV-500.1x4mm2 (zeze)	ml	25		0.00
23	2.481/3	F.V Percjelles PV-500.1x4mm2 (blu)	ml	25		0.00
24	2.481/3	F.V Percjelles PV-500.1x4mm2 (verdh-jeshil)	ml	25		0.00
25	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	25		0.00
26	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	25		0.00
27	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	25		0.00
28	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	30		0.00
29	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	30		0.00
30	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	15		0.00
31	2.486	Portollamba	cope	5		0.00
		Shuma 7				-
		Shuma 1 - 7				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-2**
Investitor : **Bashkia Patos**
Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime prishje				
1	2.426	Prishje mur tulle pa pastrim	m3	4.50		-
2	2.426/4	Prishje soleta b/a	m3	14.84		-
3	2.426/7	Prishje kollona, trare b/a	m3	1.10		-
4	2.37/5a	Transport materiale ndertimi, dheu me auto deri 5.0 km	m3	16.00		-
5	An	Prishje themel betoni	m3	1.12		-
		Shuma 1				-
		II. Punime Germimi				
1	2.1	Germim dheu me krah e transport me k dore 10 m, kategoria III	m3	1.20		-
2	2.37/5a	Transport dheu me auto deri 5.0 km	m3	1.20		-
		Shuma 2				-
		III. Punime Murature				
1	2.64/2	Mur me tulle plota ne lartesi deri 3m me llaç perzier M 25	m3	4.20		-
		Shuma 3				-
		IV.Punime betoni dhe B/a e hekuri				
1	2.258	Nenshtrese zhavori 20 cm	m3	0.16		-
2	2.109/2	Themel e xokol betoni C - 12/15	m3	1.50		-
3	2.121/1	Brez b/a C 16/20, h – 8 m	m3	1.10		-
4	2.125/1a	Soleta b/a me polisterol dhe rrjete teli C 20/25 t=30cm, h=6m	m2	68.00		-
5	2166	F.V hekur betoni Ø < 10	kg	430.00		-
6	2167	F.V hekur betoni Ø >10	kg	1400.00		-
		Shuma 4				-
		V. Punime h/izolimi e tarace				
1	2.197	Hidroizolim me emulsion bitumi dhe 2 shtrese k katrama	m2	90.0		-
2	2.239/a	Material I lehtësuar per pjerrresi, izobeton (h _{mes} =8 cm)	m3	7.5		-
3	2.200	Shtrese lluster cemento 1:2, t = 20 mm	m2	90.0		-
4	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	7.0		-
5	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	13.5		-
		Shuma 5				-

VI. Punime Suvatimi e bojatisje						
1	2.300	Suva solete h ~ 4 m me drejtues, me krah	m2	78.00		-
2	2.310	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m2	78.00		-
3	2.404	Boje hidroplastike	m2	100.00		-
Shuma 6						-
VII. Instalime elektrike						
1	2.490/d	F.V Kasete plastike KE me 12 modular(vende)	cope	1		0.00
2	2.490/1c	F.V Automat termo/el.manj. diferencial 2P 220V, 32A	cope	1		0.00
3	2.490/1b	F.V Automat magnetotermik 16A 2P-220V	cope	5		0.00
4	2.a-101	F.V Automat magnetotermik 20A 2P-220V	cope	2		0.00
5	2.490/1a	F.V Automat magnetotermik 10A 2P-220V	cope	1		0.00
6	2.a-120	F.V Llampe sinjalizimi 220V;1.2w	cope	2		0.00
7	An	F.V Kuti derivacioni PT-7 plastike	cope	2		0.00
8	An	F.V Kuti derivacioni PT-5 plastike	cope	5		0.00
9	An	F.V Kuti suport pllaket 3 modular	cope	24		0.00
10	An	F.V Tap fallco	cope	25		0.00
11	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	18		0.00
12	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	7		0.00
13	2.485/2	F.V Çeles 10A GEWIS	cope	6		0.00
14	An	F.V Çeles deviat 10A GEWIS	cope	2		0.00
15	An	F.V Çeles Invertitor 10A GEWIS	cope	1		0.00
16	480/3	F.V Tubo P.V.C.fleksibel Ø25	ml	60		0.00
17	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	60		0.00
18	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	60		0.00
19	2.481/4	F.V Percjelles PV-500.1x6mm2 (zeze)	ml	5		0.00
20	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	5		0.00
21	2.481/4	F.V Percjelles PV-500.1x6mm2 (verdh-jeshil)	ml	5		0.00
22	2.481/3	F.V Percjelles PV-500.1x4mm2 (zeze)	ml	60		0.00
23	2.481/3	F.V Percjelles PV-500.1x4mm2 (blu)	ml	60		0.00
24	2.481/3	F.V Percjelles PV-500.1x4mm2 (verdh-jeshil)	ml	50		0.00
25	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	60		0.00
26	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	60		0.00
27	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	30		0.00
28	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	70		0.00
29	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	70		0.00
30	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	30		0.00
31	2.486	Portollamba	cope	5		0.00
SHUMA 7						-
Shuma 1 - 7						-
Fond rezerve			5%			-
Vlera pa TVSH						-
TVSH			20%			-
TOTALI (Shuma me TVSH)						-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstrukion / Banesa B.FN-3**
Investitor : **Bashkia Patos**
Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		<i>I. Punime prishje</i>				
1	An	Prishje mbulesa catie me tjegulla vendi + largim mbeturina	m2	86.00		-
2	2.37/5a	Transport materiale ndertimi, dheu me auto deri 5.0 km	m3	16.00		-
		Shuma 1				-
		<i>II.Punime betoni dhe B/a e hekuri</i>				
1	2.119/1a	Trare e arkitrare b/a C20/25 h – 4m, kuota 0.00	m3	0.85		-
2	2.121/1	Brez b/a C 16/20, h – 8 m	m3	2.30		-
3	2166	F.V hekur betoni Ø < 10	kg	105.00		-
4	2167	F.V hekur betoni Ø >10	kg	250.00		-
		Shuma 2				-
		<i>III. Punime Murature</i>				
1	2.70/2	Mur me tulle te lehtesuara dopio deri 3m me llaç perzier M25	m3	7.50		-
2	2.86	Mur me tulle me 6 vrima, t=12cm, h~3m, llaç perzier M15	m3	2.10		-
		Shuma 3				-
		<i>IV. Punime h/izolimi e tarace</i>				
1	2.297/b	Tavan i varur me pllaka gipsi 60x60cm	m2	65.00		-
2	2.219	Çati vendi zakonshme HD-8m, mbuluar, tjegulla marseleze	m2	79.00		-
3	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	7.00		-
4	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	36.00		-
		Shuma 4				-
		<i>V. Punime Suvatimi e bojatisje</i>				
1	2.310	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m2	54.00		-
2	2.334	Suva e zakonshme fasade mur tulle lartesi mbi 8 m	m2	22.00		-
		Shuma 5				-
		<i>VI. Punime dyer e dritare</i>				
1	2.375/a	Dritare d/alumini dyfish xham.	m2	3.60		-
		Shuma 6				-
		<i>VII. Punime te ndryshme</i>				

1	2.405	Pragje dritare me pllake granili te armuar me boje	m2	0.90		-
		Shuma 7				-
		VIII. Instalime elektrike				
1	2.490/d	F.V Kasete plastike KE me 12 modular(vende)	cope	1		-
2	2.490/1c	F.V Automat termo/el.manj. diferencial 2P 220V, 32A	cope	1		-
3	2.490/1b	F.V Automat magnetotermik 16A 2P-220V	cope	3		-
4	2.a-101	F.V Automat magnetotermik 20A 2P-220V	cope	1		-
5	2.490/1a	F.V Automat magnetotermik 10A 2P-220V	cope	1		-
6	2.a-120	F.V Llampe sinjalizimi 220V;1.2w	cope	2		-
7	An	F.V Kuti derivacioni PT-7 plastike	cope	1		-
8	An	F.V Kuti derivacioni PT-5 plastike	cope	3		-
9	An	F.V Kuti suport pllaket 3 modular	cope	20		-
10	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	14		-
11	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	5		-
12	An	F.V Tap fallco	cope	5		-
13	2.485/2	F.V Çeles 10A GEWIS	cope	5		-
14	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	40		-
15	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	20		-
16	2.481/4	F.V Percjelles PV-500.1x6mm2 (zeze)	ml	5		-
17	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	5		-
18	2.481/4	F.V Percjelles PV-500.1x6mm2 (verdh-jeshil)	ml	5		-
19	2.481/3	F.V Percjelles PV-500.1x4mm2 (zeze)	ml	15		-
20	2.481/3	F.V Percjelles PV-500.1x4mm2 (blu)	ml	15		-
21	2.481/3	F.V Percjelles PV-500.1x4mm2 (verdh-jeshil)	ml	10		-
22	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	40		-
23	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	40		-
24	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	20		-
25	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	35		-
26	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	20		-
27	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	15		-
28	2.486	Portollamba	cope	5		-
		Shuma 8				-
		Shuma 1 - 8				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-4**
Investitor : **Bashkia Patos**
Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime prishje				
1	An	Prishje mbulese catie me tjegulla vendi + largim mbeturina	m2	90.00		-
		Shuma 1				-
		II. Punime Germimi				
1	2.1	Germim dheu me krahe transport me k dore 10 m, kategoria III	m3	5.20		-
2	2.19	Hedhje, rrafshim, mbushje dheu me krahe, kategoria III	m3	1.20		-
3	2.37/5a	Transport dheu me auto deri 5.0 km	m3	4.00		-
		Shuma 2				-
		III. Punime Murature				
1	2.70/2	Mur me tulle te lehtesuara dopio deri 3m me llaç perzier M25	m3	8.00		-
2	2.86	Mur me tulle me 6 vrima, t=12cm, h~3m, llaç perzier M15	m3	1.60		-
		Shuma 3				-
		IV. Punime betoni dhe B/a e hekuri				
1	2.258	Nenshtrese zhavori 20 cm	m3	0.80		-
2	2.110/2	Themel e xokol butobetoni C - 12/15	m3	3.60		-
3	2.121/1	Brez b/a C 16/20, h ~ 8 m	m3	0.96		-
4	2.117/1b	Kollona b/a monolite C 25/30 h ~ 4m	m3	0.94		-
5	2.119/1a	Trare e arkitrare b/a C20/25 h ~ 4m, kuota 0.00	m3	0.25		-
6	2166	F.V hekur betoni Ø < 10	kg	210.00		-
7	2167	F.V hekur betoni Ø >10	kg	640.00		-
		Shuma 4				-
		V. Punime h/izolimi e tarace				
1	An	Tavan druri pishe	m2	25.00		-
2	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	91.00		-
3	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	7.00		-
4	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	24.00		-
		Shuma 5				-
		VI. Punime shtresash				
1	2.258	Nenshtrese zhavori	m3	2.20		-
2	2.262/3	Shtrese betoni C 12/15	m3	2.20		-
3	2.239/a	Material i lehtesuar per nivelim e mbulim tubash, izobeton (h _{mes} =6 cm)	m3	1.20		-

4	2.200	Shtrese lluster cemento 1:2, t = 2 cm	m2	24.00	-
		Shuma 6			-
		VII. Punime Suvatimi e bojatisje			
1	2.310	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m2	25.00	-
2	2.334	Suva e zakonshme fasade mur tulle lartesi mbi 8 m	m2	0.00	-
		Shuma 7			-
		VIII. Punime dyer e dritare			
1	2.375/a	Dritare d/alumini dyfish xham.	m2	2.00	-
2	2.375/a	F.V. dritare duralumini WC, xham me lule	m2	0.60	-
3	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	1.80	-
4	2.395/1	F.V. dyer d/alumini me dopio xham, tualetet	m2	1.70	-
		Shuma 8			-
		IX. Punime te ndryshme			
1	2.405	Pragje dritare me pllake granili te armuar me boje	m2	0.45	-
		Shuma 9			-
		X. Instalime elektrike			
1	An	F.V Kuti derivacioni PT-5 plastike	cope	2	-
2	An	F.V Kuti suport pllaket 3 modular	cope	11	-
3	An	F.V Tap fallco	cope	3	-
4	2.485/d	F.V Priza 2P+T 16A/250V shuko GEWIS universale	cope	7	-
5	2.485/b	F.V Priza 2P+T 10A/250V GEWIS	cope	4	-
6	2.485/2	F.V Çeles 10A/250V GEWIS	cope	2	-
7	An	F.V Çeles deviat 10A GEWIS	cope	2	-
8	An	F.V Çeles Invertitor 10A GEWIS	cope	1	-
9	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	25	-
10	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	25	-
11	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	25	-
12	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	25	-
13	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	30	-
14	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	20	-
15	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	15	-
16	2.486	Portollamba	cope	5	-
					-
		Shuma 1 - 10			-
		Fond rezerve	5%		-
		Vlera pa TVSH			-
		TVSH	20%		-
		TOTALI (Shuma me TVSH)			-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari" Rruga: Unaza Tel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-5**
Investitor: **Bashkia Patos**
Perfituesi:

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime prishje				
1	An	Prishje mbulese catie me tjegulla vendi + largim mbeturina	m2	85.00		-
		Shuma 1				-
		II.Punime betoni dhe B/a e hekuri				
1	2.121/1	Brez b/a C 16/20, h ~ 8 m	m3	2.20		-
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	kg	90.00		-
3	2.167	F V hekur betoni periodik Ø > 10 mm	kg	180.00		-
		Shuma 2				-
		III. Punime h/izolimi e Cati				
1	An	Tavan druri pishe	m2	65.00		-
2	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	88.00		-
3	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	7.00		-
4	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	19.50		-
		Shuma 3				-
		Shuma 1 - 3				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: Unaza Tel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-6**
Investitor: **Bashkia Patos**
Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime prishje				
1	An	Prishje mbulese catie me tjegulla vendi + largim mbeturina	m2	88.00		-
		Shuma 1				-
		II.Punime betoni dhe B/a e hekuri				
1	2.121/1	Brez b/a C 16/20, h – 8 m	m3	4.56		-
2	2166	F.V hekur betoni Ø < 10	kg	278.00		-
3	2167	F.V hekur betoni Ø >10	kg	124.00		-
		Shuma 2				-
		III. Punime h/izolimi e tarace				
1	2.297/b	Tavan i varur me pllaka gipsi 60x60cm	m2	63.10		-
2	2.219	Çati vendi zakonshme HD-8m, mbuluar, tjegulla marseleze	m2	82.00		-
3	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	14.00		-
4	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	39.40		-
		Shuma 3				-
		IV. Punime shtresash				
1	2.239/a	Material I lehtesuar per nivelim e mbulim tubash, izobeton (h _{mes} =6 cm)	m3	3.60		-
2	2.200	Shtrese lluster cemento 1:2, t = 2 cm	m2	63.10		-
3	2.267/b	Shtrese me pllaka grez porcelanato	m2	63.10		-
		Shuma 4				-
		V. Punime Suvatimi e bojatisje				
1	2.324a	Plintuse pllake grez	ml	38.00		-
2	2.334	Suva e zakonshme fasade mur tulle lartesi mbi 8 m	m2	43.00		-
		Shuma 5				-
		Shuma 1 - 13				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. Arben MANOKU

Ing. Silvana Mici



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-7**
Investitor : **Bashkia Patos**
Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime prishje				
1	An	Prishje mbulese catie me tjegulla vendi + largim mbeturina	m2	82.00		-
		Shuma 1				-
		II.Punime betoni dhe B/a e hekuri				
1	2.121/1	Brez b/a C 16/20, h – 8 m	m3	4.56		-
2	2166	F.V hekur betoni Ø < 10	kg	308.00		-
3	2167	F.V hekur betoni Ø >10	kg	142.00		-
		Shuma 2				-
		III. Punime h/izolimi e Catie				
1	2.297/b	Tavan i varur me pllaka gipsi 60x60cm	m2	44.00		-
2	2.219	Çati vendi zakonshme HD–8m, mbuluar, tjegulla marseleze	m2	84.00		-
3	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	7.00		-
4	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	25.00		-
		Shuma 3				-
		IV. Punime shtresash				
1	2.239/a	Material I lehtësuar per nivelim e mbulim tubash, izobeton (h _{mes} =6 cm)	m3	2.65		-
2	2.200	Shtrese lluster cemento 1:2, t = 2 cm	m2	45.00		-
3	2.267/b	Shtrese me pllaka grez porcelanato	m2	45.00		-
		Shuma 4				-
		V. Punime Suvatimi e bojatisje				
1	2.324a	Plintuse pllake grez	ml	41.00		-
2	2.334	Suva e zakonshme fasade mur tulle lartesi mbi 8 m	m2	110.00		-
		Shuma 5				-
		VI. Instalime elektrike				
1	An	F.V Kuti derivacioni PT-5 plastike	cope	3		-
2	An	F.V Kuti suport pllaket 3 modular	cope	11		-
3	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	6		-
4	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	2		-
5	An	F.V Tap fallco	cope	5		-
6	2.485/2	F.V Çeles 10A GEWIS	cope	4		-

7	An	F.V Çeles deviat 10A GEWIS	cope	2		-
8	An	F.V Çeles Invertitor 10A GEWIS	cope	1		-
9	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	30		-
10	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	15		-
11	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	30		-
12	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	30		-
13	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	15		-
14	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	25		-
15	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	20		-
16	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	10		-
17	2.486	Portollamba	cope	5		-
		Shuma 6				-
		Shuma 1 - 6				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-8**
Investitor: **Bashkia Patos**
Perfituesi:

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime prishje				
1	An	Prishje komplet shtrese termoizoluese , perfshire heqjen e mbeturinave dhe ulluqeve, perfshire uljen e mbeturinave	m2	77.00		-
		Shuma 1				-
		II. Punime Murature				
1	2.54/2	Mur guri ne lartesi deri 3m me llaç çimento M 25	m3	2.60		-
		Shuma 2				-
		III.Punime betoni dhe B/a e hekuri				
1	2.121/1	Brez b/a C 16/20, h – 8 m	m3	2.80		-
2	2166	F.V hekur betoni Ø < 10	kg	110.00		-
3	2167	F.V hekur betoni Ø >10	kg	270.00		-
		Shuma 3				-
		IV. Punime h/izolimi e tarace				
1	2.297/b	Tavan i varur me pllaka gipsi 60x60cm	m2	54.00		-
2	2.219	Çati vendi zakonshme HD-8m, mbuluar, tjegulla marseleze	m2	74.00		-
3	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	7.00		-
4	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	24.00		-
		Shuma 4				-
		V. Punime shtresash				
1	2.239/a	Material I lehtësuar per nivelim e mbulim tubash, izobeton (h _{mes} =6 cm)	m3	3.20		-
2	2.200	Shtrese lluster çimento 1:2; t = 2 cm	m2	54.00		-
3	2.267/b	Shtrese me pllaka grez porcelanato	m2	54.00		-
		Shuma 5				-
		VI. Punime Suvatimi e bojatisje				
1	2.334	Suva e zakonshme fasade mur tulle lartesi mbi 8 m	m2	65.00		-
		Shuma 6				-
		VII. Instalime elektrike				
1	2.490/d	F.V Kasete plastike KE me 12 modular(vende)	cope	1		-
2	2.490/1c	F.V Automat termo/el.manj. diferencial 2P 220V, 32A	cope	1		-
3	2.490/1b	F.V Automat magnetotermik 16A 2P-220V	cope	4		-
4	2.a-101	F.V Automat magnetotermik 20A 2P-220V	cope	2		-
5	2.490/1a	F.V Automat magnetotermik 10A 2P-220V	cope	1		-
6	2.a-120	F.V Llampe sinjalizimi 220V;1.2w	cope	1		-
7	An	F.V Kuti derivacioni PT-7 plastike	cope	1		-

8	An	F.V Kuti derivacioni PT-5 plastike	cope	5		-
9	An	F.V Kuti suport pllaket 3 modular	cope	19		-
10	An	F.V Tap fallco	cope	10		-
11	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	15		-
12	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	5		-
13	2.485/2	F.V Çeles 10A GEWIS	cope	7		-
14	An	F.V Çeles deviat 10A GEWIS	cope	2		-
15	An	F.V Çeles Invertitor 10A GEWIS	cope	1		-
16	480/3	F.V Tubo P.V.C.fleksibel Ø25	ml	50		-
17	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	50		-
18	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	15		-
19	2.481/4	F.V Percjelles PV-500.1x6mm2 (zeze)	ml	10		-
20	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	10		-
21	2.481/4	F.V Percjelles PV-500.1x6mm2 (verdh-jeshil)	ml	10		-
22	2.481/3	F.V Percjelles PV-500.1x4mm2 (zeze)	ml	40		-
23	2.481/3	F.V Percjelles PV-500.1x4mm2 (blu)	ml	40		-
24	2.481/3	F.V Percjelles PV-500.1x4mm2 (verdh-jeshil)	ml	30		-
25	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	80		-
26	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	80		-
27	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	40		-
28	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	80		-
29	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	80		-
30	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	7		-
31	2.486	Portollamba	cope	5		-
		Shuma 7				-
		Shuma 1 - 7				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari" Rruga: Unaza Tel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-9**
Investitor : **Bashkia Patos**
Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime prishje				
1	An	Prishje mbulese catie me tjegulla vendi + largim mbeturina	m2	20.00		-
2	2.426	Prishje mur tulle pa pastrim	m3	0.44		-
3	2.37/5a	Transport materiale ndertimi, dheu me auto deri 5.0 km	m3	2.50		-
		Shuma 1				-
		II. Punime Germimi				
1	2.1	Germim dheu me krah e transport me k dore 10 m, kategoria III	m3	4.60		-
2	2.19	Hedhje, rrafshim, mbushje dheu me krah, kategoria III	m3	1.20		-
3	2.37/5a	Transport dheu me auto deri 5.0 km	m3	3.40		-
		Shuma 2				-
		III. Punime Murature				
1	2.70/2	Mur me tulle te lehtesuara dopio deri 3m me llaç perzier M25	m3	8.90		-
2	2.86	Mur me tulle me 6 vrime, t=12cm, h~3m, llaç perzier M15	m3	1.46		-
		Shuma 3				-
		IV. Punime betoni dhe B/a e hekuri				
1	2.258	Nenshtrese zhavori 20 cm	m3	0.80		-
2	2.110/2	Themel e xokol butobetoni C - 12/15	m3	5.20		-
3	2.121/1	Brez b/a C 16/20, h - 8 m	m3	0.96		-
4	2.117/1b	Kollona b/a monolite C 25/30 h ~ 4m	m3	0.94		-
5	2.119/1a	Trare e arkitrare b/a C20/25 h - 4m, kuota 0.00	m3	0.25		-
6	2166	F.V hekur betoni Ø < 10	kg	180.00		-
7	2167	F.V hekur betoni Ø > 10	kg	750.00		-
		Shuma 4				-
		V. Punime h/izolimi e tarace				
1	2.297/b	Tavan i varur me pllaka gipsi 60x60cm	m2	40.00		-
2	2.219	Çati vendi zakonshme HD-8m, mbuluar, tjegulla marseleze	m2	58.50		-
3	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	10.50		-
4	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	17.00		-
		Shuma 5				-
		VI. Punime shtresash				
1	2.258	Nenshtrese zhavori	m3	2.20		-

2	2.262/3	Shtrese betoni C 12/15	m3	2.20	-
3	2.239/a	Material i lehtësuar për nivelim e mbulim tubash, izobeton ($h_{mes}=6$ cm)	m3	1.50	-
4	2.200	Shtrese lluster cimento 1:2, t = 2 cm	m2	25.00	-
		Shuma 6			-
		VII. Punime Suvatimi e bojatisje			
1	2.310	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m2	55.00	-
2	2.334	Suva e zakonshme fasade mur tulle lartesi mbi 8 m	m2	33.00	-
		Shuma 7			-
		VIII. Punime dyer e dritare			
1	2.375/a	Dritare d/alumini dyfish xham.	m2	1.80	-
2	2.375/a	F.V. dritare duralumini WC, xham me lule	m2	0.60	-
3	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	1.80	-
4	2.395/1	F.V. dyer d/alumini me dopio xham, tualetet	m2	1.70	-
		Shuma 8			-
		IX. Punime te ndryshme			
1	2.405	Pragje dritare me pllake granili te armuar me boje	m2	0.40	-
		Shuma 9			-
		X. Instalime elektrike			
1	An	F.V Kuti derivacioni PT-5 plastike	cope	1	-
2	An	F.V Kuti derivacioni PT-2 plastike	cope	2	-
3	An	F.V Kuti suport pllaket 3 modular GEWIS	cope	6	-
4	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	4	-
5	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	3	-
6	2.485/2	F.V Çeles 10A/250V GEWIS	cope	1	-
7	An	F.V Çeles deviat 10A GEWIS	cope	2	-
8	An	F.V Çeles Invertitor 10A GEWIS	cope	1	-
9	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	30	-
10	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	20	-
11	2.481/3	F.V Percjelles PV-500.1x4mm2 (tre ngjyra)	ml	30	-
12	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (tre ngjyra)	ml	40	-
13	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (tre ngjyra)	ml	30	-
14	2.482/t	Portollamba	cope	2	-
		Shuma 10			-
		Shuma 1 - 10			-
		Fond rezerve	5%		-
		Vlera pa TVSH			-
		TVSH	20%		-
		TOTALI (Shuma me TVSH)			-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-10**
Investitor: **Bashkia Patos**
Perfituesi:

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime prishje				
1	An	Prishje mbulese catie me tjegulla vendi + largim mbeturina	m2	122.00		-
		Shuma 1				-
		II.Punime betoni dhe B/a e hekuri				
1	2.121/1	Brez b/a C 16/20, h – 8 m	m3	2.80		-
2	2166	F.V hekur betoni Ø < 10	kg	125.00		-
3	2167	F.V hekur betoni Ø >10	kg	450.00		-
4	2.181	Konstruksione metalike te perbera	ton	0.00		-
		Shuma 2				-
		III. Punime h/izolimi e tarace				
1	2.297/b	Tavan i varur me pllaka gipsi 60x60cm	m2	75.0		-
2	2.219	Çati vendi zakonshme HD-8m, mbuluar, tjegulla marseleze	m2	122.0		-
3	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	14.0		-
4	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	43.0		-
		Shuma 3				-
		IV. Punime shtresash				
1	2.239/a	Material I lehtesuar per nivelim e mbulim tubash, izobeton (h _{mes} =6 cm)	m3	3.20		-
2	2.200	Shtrese lluster cemento 1:2, t = 2 cm	m2	54.00		-
3	2.267/b	Shtrese me pllaka grez porcelanato	m2	0.00		-
		Shuma 4				-
		V. Punime Suvatimi e bojatisje				
1	2.310	Suva brenda mur tulle h-4m me krah, llaç perzier M 25	m2	45.00		-
2	2.334	Suva e zakonshme fasade mur tulle lartesi mbi 8 m	m2	65.00		-
		Shuma 5				-
		VI. Instalime elektrike				
1	An	F.V Kasete plastike KE me 24 modular(vende)	cope	1		0.00
2	2.490/1c	F.V Automat termo/el.manj. diferencial 2P 220V, 32A	cope	1		0.00
3	2.490/1b	F.V Automat magnetotermik 16A 2P-220V	cope	6		0.00
4	2.a-101	F.V Automat magnetotermik 20A 2P-220V	cope	2		0.00
5	2.490/1a	F.V Automat magnetotermik 10A 2P-220V	cope	1		0.00

6	2.a-120	F.V Llampe sinjalizimi 220V;1.2w	cope	2		0.00
7	An	F.V Kuti derivacioni PT-7 plastike	cope	1		0.00
8	An	F.V Kuti derivacioni PT-5 plastike	cope	5		0.00
9	An	F.V Kuti suport pllaket 3 modular	cope	22		0.00
10	An	F.V Tap fallco	cope	20		0.00
11	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	18		0.00
12	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	10		0.00
13	2.485/2	F.V Çeles 10A GEWIS	cope	5		0.00
14	An	F.V Çeles deviat 10A GEWIS	cope	4		0.00
15	An	F.V Çeles Invertitor 10A GEWIS	cope	2		0.00
16	480/3	F.V Tubo P.V.C.fleksibel Ø25	ml	100		0.00
17	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	100		0.00
18	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	50		0.00
19	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	10		0.00
20	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	10		0.00
21	2.481/4	F.V Percjelles PV-500.1x6mm2 (verdh-jeshil)	ml	10		0.00
22	2.481/3	F.V Percjelles PV-500.1x4mm2 (zeze)	ml	100		0.00
23	2.481/3	F.V Percjelles PV-500.1x4mm2 (blu)	ml	100		0.00
24	2.481/3	F.V Percjelles PV-500.1x4mm2 (verdh-jeshil)	ml	70		0.00
25	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	50		0.00
26	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	50		0.00
27	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	40		0.00
28	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	70		0.00
29	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	50		0.00
30	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	30		0.00
31	2.486	Portollamba	cope	6		0.00
		Shuma 6				-
		Shuma 1 - 6				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-11**
Investitor : **Bashkia Patos**
Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime h/izolimi e tarace				
1	2.197	Hidroizolim me emulsion bitumi dhe 2 shtrese k katrama	m2	110.00		-
2	2.239/a	Material I lehtesuar per pjerresi, izobeton (h _{mes} =8 cm)	m3	9.00		-
3	2.200	Shtrese lluster cemento 1:2, t = 20 mm	m2	110.00		-
4	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	10.50		-
5	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	0.00		-
		Shuma 1				-
		II. Punime Suvatimi e bojatisje				
1	2.300	Suva solete h ~ 4 m me drejtues, me krah	m2	95.00		-
2	2.310	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m2	175.00		-
3	2.314	Suva trare e kollona h~4m me krah me llaç perzier M 25	m2	9.00		-
4	2.334	Suva e zakonshme fasade mur tulle lartesi mbi 8 m	m2	100.00		-
		Shuma 2				-
		III. Instalime elektrike				
1	An	F.V Kasete plastike KE me 24 modular(vende)	cope	1		0.00
2	2.490/1c	F.V Automat termo/el.manj. diferencial 2P 220V, 32A	cope	1		0.00
3	2.490/1b	F.V Automat magnetotermik 16A 2P-220V	cope	4		0.00
4	2.a-101	F.V Automat magnetotermik 20A 2P-220V	cope	2		0.00
5	2.490/1a	F.V Automat magnetotermik 10A 2P-220V	cope	1		0.00
6	2.a-120	F.V Llampe sinjalizimi 220V;1.2w	cope	2		0.00
7	An	F.V Kuti derivacioni PT-7 plastike	cope	1		0.00
8	An	F.V Kuti derivacioni PT-5 plastike	cope	5		0.00
9	An	F.V Kuti suport pllaket 3 modular	cope	20		0.00
10	An	F.V Tap fallco	cope	12		0.00
11	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	12		0.00
12	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	5		0.00
13	2.485/2	F.V Çeles 10A GEWIS	cope	4		0.00
14	An	F.V Çeles deviat 10A GEWIS	cope	4		0.00
15	An	F.V Çeles Invertitor 10A GEWIS	cope	1		0.00
16	480/3	F.V Tubo P.V.C.fleksibel Ø25	ml	50		0.00
17	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	100		0.00
18	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	50		0.00
19	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	10		0.00

20	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	10		0.00
21	2.481/4	F.V Percjelles PV-500.1x6mm2 (verdh-jeshil)	ml	10		0.00
22	2.481/3	F.V Percjelles PV-500.1x4mm2 (zeze)	ml	100		0.00
23	2.481/3	F.V Percjelles PV-500.1x4mm2 (blu)	ml	100		0.00
24	2.481/3	F.V Percjelles PV-500.1x4mm2 (verdh-jeshil)	ml	60		0.00
25	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	100		0.00
26	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	100		0.00
27	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	50		0.00
28	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	70		0.00
29	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	40		0.00
30	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	40		0.00
31	2.486	Portollamba	cope	6		0.00
		Shuma 3				-
		Shuma 1 - 3				-
		Fond rezerve		5%		-
		Vlera pa TVSH				-
		TVSH		20%		-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-12**

Investitor : **Bashkia Patos**

Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime prishje				
1	An	Prishje mbulese catie me tjegulla vendi + largim mbeturina	m2	20.00		-
2	2.426	Prishje mur tulle pa pastrim	m3	11.55		-
3	2.37/5a	Transport materiale ndertimi, dheu me auto deri 5.0 km	m3	2.50		-
		Shuma 1				-
		II. Punime Germimi				
1	2.1	Germim dheu me krahe e transport me k dore 10 m, kategoria III	m3	2.60		-
2	2.19	Hedhje, rrafshim, mbushje dheu me krahe, kategoria III	m3	1.20		-
3	2.37/5a	Transport dheu me auto deri 5.0 km	m3	1.40		-
		Shuma 2				-
		III. Punime Murature				
1	2.70/2	Mur me tulle te lehtesuara dopio deri 3m me llaç perzier M25	m3	11.25		-
2	2.86	Mur me tulle me 6 vrime, t=12cm, h~3m, llaç perzier M15	m3	1.80		-
		Shuma 3				-
		IV. Punime betoni dhe B/a e hekuri				
1	2.258	Nenshtrese zhavori 20 cm	m3	0.56		-
2	2.110/2	Themel e xokol butobetoni C - 12/15	m3	3.60		-
3	2.121/1	Brez b/a C 16/20, h ~ 8 m	m3	1.20		-
4	2.117/1b	Kollona b/a monolite C 25/30 h ~ 4m	m3	0.38		-
5	2.119/1a	Trare e arkitrare b/a C20/25 h ~ 4m, kuota 0.00	m3	0.50		-
6	2166	F.V hekur betoni Ø < 10	kg	120.00		-
7	2167	F.V hekur betoni Ø > 10	kg	450.00		-
		Shuma 4				-
		V. Punime h/izolimi e tarace				
1	2.297/b	Tavan i varur me pllaka gipsi 60x60cm	m2	17.00		-
2	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	26.00		-
3	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	3.20		-
4	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	6.20		-
		Shuma 5				-
		VI. Punime shtresash				

1	2.258	Nenshtrese zhavori	m3	2.00	-
2	2.262/3	Shtrese betoni C 12/15	m3	2.00	-
3	2.239/a	Material I lehtesuar per nivelim e mbulim tubash, izobeton (h _{mes} =6 cm)	m3	1.01	-
4	2.200	Shtrese lluster cemento 1:2, t = 2 cm	m2	16.88	-
		Shuma 6			-
		VII. Punime Suvatimi e bojatisje			
1	2.310	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m2	78.00	-
2	2.334	Suva e zakonshme fasade mur tulle lartesi mbi 8 m	m2	42.00	-
		Shuma 7			-
		VIII. Punime dyer e dritare			
1	2.375/a	Dritare d/alumini dyfish xham.	m2	1.80	-
2	2.375/a	F.V. dritare duralumini WC, xham me lule	m2	0.60	-
3	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	1.80	-
4	2.395/a	F.V. dyer d/alumini me dopio xham, tualetet	m2	1.70	-
		Shuma 8			-
		IX. Punime te ndryshme			
1	2.405	Pragje dritare me pllake granili te armuar me boje	m2	0.40	-
		Shuma 9			-
		X. Instalime elektrike			
1	An	F.V Kuti derivacioni PT-5 plastike	cope	2	-
2	An	F.V Kuti suport pllaket 3 modular	cope	5	-
3	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	4	-
4	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	3	-
5	2.485/2	F.V Çeles 10A GEWIS	cope	1	-
6	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	30	-
7	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	20	-
8	2.481/3	F.V Percjelles PV-500.1x4mm2 (tre ngjyra)	ml	30	-
9	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (tre ngjyra)	ml	40	-
10	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (tre ngjyra)	ml	40	-
11	2.486	Portollamba	cope	2	-
		Shuma 10			-
		Shuma 1 - 10			-
		Fond rezerve	5%		-
		Vlera pa TVSH			-
		TVSH	20%		-
		TOTALI (Shuma me TVSH)			-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-13**

Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		<i>I. Punime prishje</i>				
1	2.426/2	Prishje mur blloqe betoni	m3	13		-
2	An	Heqje dritaresh dhe dyersh+ nxjerrje mbeturinash jashte ndertese	m2	7.4		-
3	An	Heqje mbulese eterniti	m2	33.0		-
4	2.37/1a	Transport materiale ndertim, dheu me auto deri 1.0 km	m3	12.00		-
		Shuma 1				-
		B.Punime Ndertimore				
		<i>II.Punime betoni dhe B/a e hekuri</i>				
5	2.110/2	Themel e xokol butobetoni C - 12/15	m3	4.5		-
6	2.117/1	Kollona b/a monolite C - 16/20, h ~ 4 m	m3	0.9		-
7	2.121/1	Brez b/a C 16/20, h ~ 8 m	m3	1.70		-
8	2.119/1	Trare e arkitrare b/a C - 16/20, h ~ 4 m	m3	0.20		-
9	2.167	F V hekur betoni periodik Ø > 10 mm	kg	700		-
		Shuma 2				-
		<i>III. Punime Murature</i>				
10	2.70/2	Mur me tulle te lehtesuara dopio deri 3m me llaç perzier M25	m3	13.50		-
11	2.86	Mur me tulle me 6 vrime, t=12cm, h~3m, llaç perzier M15	m3	0.80		-
		Shuma 3				-
		<i>IV. Punime h/izolimi e Catie</i>				
12	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	41		-
13	An	Tavan druri pisehe	m2	26.8		-
14	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	35.0		-
15	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	6.0		-
		Shuma 4				-
		<i>V. Punime shtresash</i>				
16	2.258	Nenshtrese zhavori	m3	3.4		-
17	2.262/3	Shtrese betoni C 12/15	m3	2.70		-
18	2.239/a	Material i lehtesuar per nivelim e mbulim tubash, izobeton (hmes=6 cm)	m3	1.34		-
19	2.200	Shtrese lluster cemento 1:2, t = 2 cm	m2	0.54		-
		Shuma 5				-
		<i>VI. Punime Suvatimi e bojatisje</i>				
20	2.331	Suva e zakonshme fasade mur tulle h ~ 8 m	m2	0		-
21	2.31	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m2	89.00		-
		Shuma 6				-
		<i>VII. Punime dyer/dritare</i>				
22	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	1.88		-

23	2.395/a	F.V. dyer d/alumini me dopio xham	m2	3.5		-
24	2.375/a	Dritare d/alumini dyfish xham.	m2	3.85		-
		Shuma 7				-
		VII. Instalime elektrike				
1	2.490/d	F.V Kasete plastike KE me 12 modular(vende)	cope	1		0
2	2.490/1c	F.V Automat termo/el.manj. diferencial 2P 220V, 32A	cope	1		0
3	2.490/1b	F.V Automat magnetotermik 16A 2P-220V	cope	4		0
4	2.a-101	F.V Automat magnetotermik 20A 2P-220V	cope	2		0
5	2.490/1a	F.V Automat magnetotermik 10A 2P-220V	cope	1		0
6	2.a-120	F.V Llampe sinjalizimi 220V;1.2w	cope	1		0
7	An	F.V Kuti derivacioni PT-7 plastike	cope	1		0
8	An	F.V Kuti derivacioni PT-5 plastike	cope	4		0
9	An	F.V Kuti suport pllaket 3 modular	cope	15		0
10	An	F.V Tap fallco	cope	10		0
11	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	10		0
12	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	4		0
13	2.485/2	F.V Çeles 10A GEWIS	cope	4		0
14	An	F.V Çeles deviat 10A GEWIS	cope	2		0
15	An	F.V Çeles Invertitor 10A GEWIS	cope	1		0
16	480/3	F.V Tubo P.V.C.fleksibel Ø25	ml	25		0
17	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	40		0
18	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	25		0
19	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	6		0
20	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	6		0
21	2.481/4	F.V Percjelles PV-500.1x6mm2 (verdh-jeshil)	ml	6		0
22	2.481/3	F.V Percjelles PV-500.1x4mm2 (zeze)	ml	50		0
23	2.481/3	F.V Percjelles PV-500.1x4mm2 (blu)	ml	50		0
24	2.481/3	F.V Percjelles PV-500.1x4mm2 (verdh-jeshil)	ml	30		0
25	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	50		0
26	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	50		0
27	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	30		0
28	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	30		0
29	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	25		0
30	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	20		0
31	2.486	Portollamba	cope	5		0
		Shuma 8				-
		Shuma 1 - 8				-
		Fond rezerve		5%		-
		Vlera pa TVSH				-
		TVSH		20%		-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-14**

Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		<i>I. Punime prishje</i>				
1	2.426/1	Prishje mur tulle me pastrim	m3	7.00		-
2	An	Heqje dritaresh dhe dyersh+ nxjerrje mbeturinash jashte ndertese	m2	15.0		-
3	An	Heqje mbulese eterniti	m2	50.0		-
4	2.37/1a	Transport materiale ndertim, dheu me auto deri 1.0 km	m3	10.00		-
		<i>Shuma 1</i>				-
		B.Punime Ndertimore				
		<i>II.Punime betoni dhe B/a e hekuri</i>				
6	2.121/1	Brez b/a C 16/20, h ~ 8 m	m3	1.60		-
7	2.119/1	Trare e arkitrare b/a C - 16/20, h ~ 4 m	m3	0.11		-
	2.167	F V hekur betoni periodik Ø > 10 mm	kg	180.0		-
		<i>Shuma 2</i>				-
		<i>III. Punime Murature</i>				
	2.70/2	Mur me tulle te lehtesuara dopio deri 3m me llaç perzier M25	m3	6.7		-
	2.86	Mur me tulle me 6 vrime, t=12cm, h~3m, llaç perzier M15	m3	0.7		-
		<i>Shuma 3</i>				-
		<i>IV. Punime h/izolimi e Catie</i>				
9	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	48.0		-
12	An	Tavan druri pishe	m2	35.0		-
	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	7.0		-
	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	31.0		-
		<i>Shuma 4</i>				-
		<i>V. Punime shtresash</i>				
	2.239/a	Material i lehtesuar per nivelim e mbulim tubash, izobeton (hmes=6 cm)	m3	2.1		-
13	2.200	Shtrese lluster cemento 1:2, t = 2 cm	m2	34		-
14	2.267/b	Shtrese me pllaka grez porcelanato	m2	34		-
	2.324a	Plintues pllake grez	ml	36		-
		<i>Shuma 5</i>				-
		<i>VI. Punime Suvatimi e bojatisje</i>				
15	2.331	Suva e zakonshme fasade mur tulle h ~ 8 m	m2	70.00		-
	2.31	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m2	82.00		-
		<i>Shuma 6</i>				-
		<i>VII. Punime dyer/dritare</i>				
17	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	3.5		-
18	2.395/a	F.V. dyer d/alumini me dopio xham	m2	3.12		-
	2.375/a	Dritare d/alumini dyfish xham.	m2	3.1		-

	2.405	Pragje dritare me pllake granili te armuar me boje	m2	0.3		-
		Shuma 7				-
		<i>VI. Instalime elektrike</i>				
1	An	F.V Kasete plastike KE me 24 modular(vende)	cope	1		0
2	2.490/1c	F.V Automat termo/el.manj. diferencial 2P 220V, 32A	cope	1		0
3	2.490/1b	F.V Automat magnetotermik 16A 2P-220V	cope	4		0
4	2.a-101	F.V Automat magnetotermik 20A 2P-220V	cope	2		0
5	2.490/1a	F.V Automat magnetotermik 10A 2P-220V	cope	1		0
6	2.a-120	F.V Llampe sinjalizimi 220V;1.2w	cope	2		0
7	An	F.V Kuti derivacioni PT-7 plastike	cope	1		0
8	An	F.V Kuti derivacioni PT-5 plastike	cope	4		0
9	An	F.V Kuti suport pllaket 3 modular	cope	22		0
10	An	F.V Tap fallco	cope	12		0
11	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	13		0
12	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	5		0
13	2.485/2	F.V Çeles 10A GEWIS	cope	4		0
14	An	F.V Çeles deviat 10A GEWIS	cope	2		0
15	An	F.V Çeles Invertitor 10A GEWIS	cope	1		0
16	480/3	F.V Tubo P.V.C.fleksibel Ø25	ml	40		0
17	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	40		0
18	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	25		0
19	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	5		0
20	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	5		0
21	2.481/4	F.V Percjelles PV-500.1x6mm2 (verdh-jeshil)	ml	5		0
22	2.481/3	F.V Percjelles PV-500.1x4mm2 (zeze)	ml	40		0
23	2.481/3	F.V Percjelles PV-500.1x4mm2 (blu)	ml	50		0
24	2.481/3	F.V Percjelles PV-500.1x4mm2 (verdh-jeshil)	ml	35		0
25	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	30		0
26	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	30		0
27	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	25		0
28	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	25		0
29	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	30		0
30	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	20		0
31	2.486	Portollamba	cope	5		0
		Shuma 8				-
		Shuma 1 - 8				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari" Rruga: Unaza Tel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-15**

Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		<i>I. Punime prishje</i>				
1	An	Prishje mbulese catie me tjegulla vendi + largim mbeturina	m2	55		-
2	An	Prishje tavane perfshire largim mbeturinash	m2	50		-
3	An	Prishje suvatim i brendshem	m ²	160		-
4	An	Cmontim te rrjetit elektrik ekzistues	o.p	24		-
5	2.37/1a	Transport materiale ndertim, dheu me auto deri 1.0 km	m3	8		-
		<i>Shuma 1</i>				-
		B.Punime Ndertimore				
		<i>II. Punime h/izolimi e Catie</i>				
6	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	68		-
7	An	Tavan druri pishe	m2	49		-
	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	14		-
	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	37		-
		<i>Shuma 2</i>				-
		<i>III. Punime shtresash</i>				
8	2.239/a	Material i lehtësuar per nivelim e mbulim tubash, izobeton (hmes=6 cm)	m3	3.9		-
9	2.200	Shtrese lluster cemento 1:2, t = 2 cm	m2	65		-
10	2.267/b	Shtrese me pllaka grez porcelanato	m2	65		-
11	2.324a	Plintues pllake grez	ml	60		-
		<i>Shuma 3</i>				-
		<i>IV. Punime Suvatimi e bojatisje</i>				
12	2.31	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m2	160		-
		<i>Shuma 4</i>				-
		<i>V. Instalime elektrike</i>				
1	An	F.V Kasete plastike KE me 24 modular(vende)	cope	1		-
2	2.490/1c	F.V Automat termo/el.manj. diferencial 2P 220V, 32A	cope	1		-
3	2.490/1b	F.V Automat magnetotermik 16A 2P-220V	cope	5		-
4	2.a-101	F.V Automat magnetotermik 20A 2P-220V	cope	2		-
5	2.490/1a	F.V Automat magnetotermik 10A 2P-220V	cope	1		-
6	2.a-120	F.V Llampe sinjalizimi 220V;1.2w	cope	2		-
7	An	F.V Kuti derivacioni PT-7 plastike	cope	1		-
8	An	F.V Kuti derivacioni PT-5 plastike	cope	5		-
9	An	F.V Kuti suport pllaket 3 modular	cope	24		-
10	An	F.V Tap fallco	cope	12		-
11	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	18		-

12	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	7		-
13	2.485/2	F.V Çeles 10A GEWIS	cope	5		-
14	An	F.V Çeles deviat 10A GEWIS	cope	2		-
15	An	F.V Çeles Invertitor 10A GEWIS	cope	1		-
16	480/3	F.V Tubo P.V.C.fleksibel Ø25	ml	70		-
17	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	50		-
18	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	50		-
19	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	10		-
20	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	10		-
21	2.481/4	F.V Percjelles PV-500.1x6mm2 (verdh-jeshil)	ml	10		-
22	2.481/3	F.V Percjelles PV-500.1x4mm2 (zeze)	ml	50		-
23	2.481/3	F.V Percjelles PV-500.1x4mm2 (blu)	ml	90		-
24	2.481/3	F.V Percjelles PV-500.1x4mm2 (verdh-jeshil)	ml	60		-
25	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	80		-
26	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	80		-
27	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	50		-
28	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	60		-
29	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	50		-
30	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	40		-
31	2.486	Portollamba	cope	6		-
		Shuma 5				-
		Shuma 1 - 5				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti *Rikonstruksion / Banesa B.FN-16*
Perfituesi :

Nr.	Nr. Anal	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		<i>I. Punime prishje</i>				
1	An	Prishje mbulesa catie me tjegulla vendi + largim mbeturina	m2	55.00		-
2	2.426/4	Prishje soleta b/a	m3	1.20		-
3	An	Prishje suvatim i brendshem	m ²	55.0		-
4	An	Çmontim te rretit elektrik ekzistues	o.p	12		-
5	2.37/1a	Transport materiale ndertim, dheu me auto deri 1.0 km	m3	11.0		-
		<i>Shuma 1</i>				-
		B.Punime Ndertimore				
		<i>II. Punime h/izolimi e Catie</i>				
6	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	80		-
7	An	Tavan druri pishe	m2	11.00		-
	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	14.00		-
	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	40.00		-
		<i>Shuma 2</i>				-
		<i>III. Punime shtresash</i>				
8	2.200	Shtrese lluster cimento 1:2, t = 2 cm	m2	55		-
9	2.267/b	Shtrese me pllaka grez porcelanato	m2	55		-
10	2.324a	Plintues pllake grez	ml	47		-
		<i>Shuma 3</i>				-
		<i>IV. Punime Suvatimi e bojatisje</i>				
11	2.331	Suva e zakonshme fasade mur tulle h ~ 8 m	m2	105		-
12	2.31	Suva brenda mur tulle h~4m me krah, llaç perzier M 25 (Suvatim I pjesshem)	m2	55		-
		<i>Shuma 4</i>				-
		V. Punime dyer/dritare				
13	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	3.78		-
14	2.395/a	F.V. dyer d/alumini me dopio xham	m2	3.8		-
15	2.375/a	Dritare d/alumini dyfish xham.	m2	0.25		-
		<i>Shuma 5</i>				-
		VIII. Instalime elektrike				
1	2.490/d	F.V Kasete plastike KE me 12 modular(vende)	cope	1		-
2	2.490/1c	F.V Automat termo/el.manj. diferencial 2P 220V, 32A	cope	1		-
3	2.490/1b	F.V Automat magnetotermik 16A 2P-220V	cope	4		-
4	2.a-101	F.V Automat magnetotermik 20A 2P-220V	cope	2		-
5	2.490/1a	F.V Automat magnetotermik 10A 2P-220V	cope	1		-

6	2.a-120	F.V Llampe sinjalizimi 220V;1.2w	cope	1		-
7	An	F.V Kuti derivacioni PT-7 plastike	cope	1		-
8	An	F.V Kuti derivacioni PT-5 plastike	cope	4		-
9	An	F.V Kuti suport pllaket 3 modular	cope	19		-
10	An	F.V Tap fallco	cope	10		-
11	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	14		-
12	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	4		-
13	2.485/2	F.V Çeles 10A GEWIS	cope	4		-
14	An	F.V Çeles deviat 10A GEWIS	cope	2		-
15	An	F.V Çeles Invertitor 10A GEWIS	cope	1		-
16	480/3	F.V Tubo P.V.C.fleksibel Ø25	ml	40		-
17	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	50		-
18	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	15		-
19	2.481/4	F.V Percjelles PV-500.1x6mm2 (zeze)	ml	7		-
20	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	7		-
21	2.481/4	F.V Percjelles PV-500.1x6mm2 (verdh-jeshil)	ml	7		-
22	2.481/3	F.V Percjelles PV-500.1x4mm2 (zeze)	ml	40		-
23	2.481/3	F.V Percjelles PV-500.1x4mm2 (blu)	ml	40		-
24	2.481/3	F.V Percjelles PV-500.1x4mm2 (verdh-jeshil)	ml	25		-
25	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	70		-
26	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	70		-
27	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	35		-
28	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	40		-
29	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	30		-
30	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	15		-
31	2.486	Portollamba	cope	5		-
		Shuma 5				-
		Shuma 1 - 5				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: Unaza Tel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-17**

Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		<i>I. Punime prishje</i>				
1	An	Heqje dyer+ nxjerrje mbeturinash jashte ndertese	m2	4.00		-
2	An	Heqje mbulese llamarine	m2	46.0		-
3	2.37/1a	Transport materiale ndertim, dheu me auto deri 1.0 km	m3	1.5		-
		Shuma 1				-
		B.Punime Ndertimore				
		<i>II. Punime h/izolimi e Catie</i>				
1	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	110.0		-
2	An	Tavan druri pishe	m2	40.0		-
3	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	7.0		-
4	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	27.4		-
		Shuma 2				-
		<i>III. Punime shtresash</i>				
1	2.200	Shtrese lluster cemento 1:2, t = 2 cm	m2	89		-
2	2.267/b	Shtrese me pllaka grez porcelanato	m2	89		-
3	2.324a	Plintues pllake grez	ml	65		-
		Shuma 3				-
		IV. Punime dyer/dritare				
1	2.395/a	F.V. dyer d/alumini me dopio xham	m2	6.1		-
2	2.375/a	Dritare d/alumini dyfish xham.	m2	2.1		-
3	2.405	Pragje dritare me pllake granili te armuar me boje	m2	0.6		-
		Shuma 4				-
		Shuma 1 - 4				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: UnazaTel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-18**
Investitor : **Bashkia Patos**
Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime prishje				
1	An	Prishje mbulese catie me tjegulla vendi + largim mbeturina	m2	125.00		-
		Shuma 1				-
		II.Punime betoni dhe B/a e hekuri				
1	2.121/1	Brez b/a C 16/20, h – 8 m	m3	2.40		-
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	kg	85.00		-
3	2.167	F V hekur betoni periodik Ø > 10 mm	kg	200.00		-
		Shuma 2				-
		III. Punime h/izolimi e Cati				
1	An	Tavan druri pishe	m2	90.00		-
2	2.219	Çati vendi zakonshme HD-8m, mbuluar, tjegulla marseleze	m2	116.00		-
3	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	14.00		-
4	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	46.00		-
		Shuma 3				-
		Shuma 1 - 3				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. **Arben MANOKU**

Ing. **Silvana Mici**



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari"Rruga: Unaza Tel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-19**

Investitor : **Bashkia Patos**

Perfituesi :

Nr.	Nr. Anal	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime prishje				
1	An	Prishje mbulese catie me tjegulla vendi + largim mbeturina	m2	79.00		-
		Shuma 1				-
		II.Punime betoni dhe B/a e hekuri				
1	2.121/1	Brez b/a C 16/20, h ~ 8 m	m3	4.56		-
2	2166	F.V hekur betoni Ø < 10	kg	155.00		-
3	2167	F.V hekur betoni Ø >10	kg	350.00		-
		Shuma 2				-
		III. Punime h/izolimi e Catie				
1	2.297/b	Tavan i varur me pllaka gipsi 60x60cm	m2	55.00		-
2	2.219	Çati vendi zakonshme HD-8m, mbuluar, tjegulla marsleze	m2	71.00		-
	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	14.00		-
	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	37.00		-
		Shuma 3				-
		IV. Punime shtresash				
1	2.239/a	Material I lehtësuar per nivelim e mbulim tubash, izobeton (h _{mes} =6 cm)	m3	4.00		-
2	2.200	Shtrese lluster cemento 1:2, t = 2 cm	m2	54.00		-
3	2.267/b	Shtrese me pllaka grez porcelanato	m2	54.00		-
		Shuma 4				-
		V. Punime Suvatimi e bojatisje				
1	2.324a	Plintuse pllake grez	ml	45.00		-
2	2.310	Suva brenda mur tulle h~4m me krahe, llaç perzier M 25	m2	130.00		-
3	2.334	Suva e zakonshme fasade mur tulle lartesi mbi 8 m	m2	115.00		-
		Shuma 5				-
		VI. Instalime elektrike				
1	2.490/d	F.V Kasete plastike KE me 12 modular(vende)	cope	1		-
2	2.490/1c	F.V Automat termo/el.manj. diferencial 2P 220V, 32A	cope	1		-
3	2.490/1b	F.V Automat magnetotermik 16A 2P-220V	cope	3		-
4	2.a-101	F.V Automat magnetotermik 20A 2P-220V	cope	2		-
5	2.490/1a	F.V Automat magnetotermik 10A 2P-220V	cope	1		-

6	2.a-120	F.V Llampe sinjalizimi 220V;1.2w	cope	1		-
7	An	F.V Kuti derivacioni PT-7 plastike	cope	1		-
8	An	F.V Kuti derivacioni PT-5 plastike	cope	4		-
9	An	F.V Kuti suport pllaket 3 modular	cope	18		-
10	An	F.V Tap fallco	cope	10		-
11	2.485/d	F.V Priza 2P+T 16A/220V shuko GEWIS universale	cope	12		-
12	2.485/b	F.V Priza 2P+T 10A/220V GEWIS	cope	4		-
13	2.485/2	F.V Çeles 10A GEWIS	cope	4		-
14	An	F.V Çeles deviat 10A GEWIS	cope	2		-
15	An	F.V Çeles Invertitor 10A GEWIS	cope	1		-
16	480/3	F.V Tubo P.V.C.fleksibel Ø25	ml	30		-
17	480/2	F.V Tubo P.V.C.fleksibel Ø20	ml	50		-
18	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	15		-
19	2.481/4	F.V Percjelles PV-500.1x6mm2 (zeze)	ml	7		-
20	2.481/4	F.V Percjelles PV-500.1x6mm2 (blu)	ml	7		-
21	2.481/4	F.V Percjelles PV-500.1x6mm2 (verdh-jeshil)	ml	7		-
22	2.481/3	F.V Percjelles PV-500.1x4mm2 (zeze)	ml	40		-
23	2.481/3	F.V Percjelles PV-500.1x4mm2 (blu)	ml	40		-
24	2.481/3	F.V Percjelles PV-500.1x4mm2 (verdh-jeshil)	ml	25		-
25	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	70		-
26	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	70		-
27	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	35		-
28	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	40		-
29	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	20		-
30	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	15		-
31	2.486	Portollamba	cope	5		-
		Shuma 6				-
		Shuma 1 - 6				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Preventivoi:

Ing. Arben MANOKU

Ing. Silvana Mici



REPUBLIKA E SHQIPERISE
BASHKIA PATOS
DREJTORIA E HARTIMIT TE PROJEKTEVE DHE MONITORIMIT TE INVESTIMEVE DHE SHERBIMEVE
Adresa: Lagjia "Naftetari" Rruga: Unaza Tel: 0381 22372; 23664

MIRATOHET
KRYETARE E BASHKISE
Rajmonda BALILAJ

PREVENTIV

Objekti: **Rikonstruksion / Banesa B.FN-20**
Investitor : **Bashkia Patos**
Perfituesi :

Nr.	Nr. Anal.	Emertimi Punimeve	Njesia	Sasia	Cmimi	Vlera
		A.Punime Rikonstruksioni				
		I. Punime prishje				
1	An	Prishje mbulose catie me tjegulla vendi + largim mbeturina	m2	75.00		-
		Shuma 1				-
		II.Punime betoni dhe B/a e hekuri				
1	2.121/1	Brez b/a C 16/20, h ~ 8 m	m3	2.40		-
2	2166	F.V hekur betoni Ø < 10	kg	125.00		-
3	2167	F.V hekur betoni Ø >10	kg	285.00		-
		Shuma 2				-
		III. Punime h/izolimi e Catie				
1	2.297/b	Tavan i varur me pllaka gipsi 60x60cm	m2	55.00		-
2	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	69.00		-
	2.209/a	Ulluk shkarkimi vertikal me PVC Ø 120mm	ml	10.50		-
	2.212/a	Ulluk shkarkimi horizontal me PVC 33cm	ml	33.00		-
		Shuma 3				-
		IV. Punime shtresash				
1	2.239/a	Material I lehtesuar per nivelim e mbulim tubash, izobeton (h _{mes} =6 cm)	m3	3.50		-
2	2.200	Shtrese lluster cemento 1:2, t = 2 cm	m2	58.00		-
3	2.267/b	Shtrese me pllaka grez porcelanato	m2	58.00		-
		Shuma 4				-
		V. Punime Suvatimi e bojatisje				
1	2.324a	Plintuse pllake grez	ml	36.00		-
2	2.310	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m2	57.00		-
3	2.334	Suva e zakonshme fasade mur tulle lartesi mbi 8 m	m2	90.00		-
		Shuma 5				-
		VI. Instalime elektrike				
1	An	F.V Kuti derivacioni PT-5 plastike	cope	2		0
2	An	F.V Kuti suport pllaket 3 modular	cope	11		0
3	An	F.V Tap falco	cope	3		0
4	2.485/d	F.V Priza 2P+T 16A/250V shuko GEWIS universale	cope	7		0
5	2.485/b	F.V Priza 2P+T 10A/250V GEWIS	cope	4		0

6	2.485/2	F.V Çeles 10A/250V GEWIS	cope	2		0
7	An	F.V Çeles deviat 10A GEWIS	cope	2		0
8	An	F.V Çeles Invertitor 10A GEWIS	cope	1		0
9	480/1	F.V Tubo P.V.C.fleksibel Ø16	ml	25		0
10	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (zeze)	ml	50		0
11	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (blu)	ml	50		0
12	2.481/2	F.V Percjelles PV-500.1x2,5mm2 (verdh-jeshil)	ml	20		0
13	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (zeze)	ml	30		0
14	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (blu)	ml	20		0
15	2.481/1	F.V Percjelles PV-500.1x1,5mm2 (verdh-jeshil)	ml	15		0
16	2.486	Portollamba	cope	5		0
		Shuma 6				-
		Shuma 1 - 6				-
		Fond rezerve	5%			-
		Vlera pa TVSH				-
		TVSH	20%			-
		TOTALI (Shuma me TVSH)				-

Ing. **Arben MANOKU**

Preventivoi:

Ing. **Silvana Mici**