

Nr.R	Nr.Anal	PËRSHKRIMI PUNIMEVE	Njesi	Sasi
A-NJESIA ADMINISTRATIVE LUMAS				
1-Rikonstruksioni i objektit familja Lutfie Doko				
Nr.	Nr. Anal	Përshkrimi I punimeve	Njesia	Sasi
1	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.2
2	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	147.0
3	2.121	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur tulle	m3	4.0
4				
5				
6				
2-Rikonstruksioni i objektit familja Guri Hoxha				
8	Nr. Anal	Përshkrimi I punimeve	Njesia	Sasi
9	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.2
10	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	90.0
11	2.297/c	Tavan i varur plastik	m2	60.0
12	2.121	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur tulle	m3	4.5
13				
14				
15				
3-Rikonstruksioni i objektit Ardjan Tomori				
17	2.262	Shtrese betoni C 6/10 t= 10 cm	m3	4.8
18	2.267/b	Shtrese me pllaka grez importi 40x40	m2	53.0
19	2.310	Suvatim i brendshem	m2	110.0
20	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur tulle	m3	2.9
21	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.1
22	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	92.0
23	3.375	Dritare d/alumini tek xham	m2	1.6
24	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	1.8
25	2.297/c	Tavan i varur plastik	m2	48.0
26	2.404	Boje hidroplastike	m2	110.0
27	2.489	F.V Siguresa ~ 25 A	cope	6.0
28	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
29	2. a-105	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
30	2.a-120	Llambe sinjali	Cope	1.0
31	480/2	F V tub plastmasi Φ20mm	ml	200.0
32	480/1	F V tub plastmasi Φ16mm	ml	100.0
33	2.481/1	F.v percjelles Φ 1.5 mm	ml	50.0

34	2.481/2	F.v percjelles Φ 2.5 mm	ml	300.0
35	2.487	F V kuti derivacioni plastike	Cope	2.0
36	2.487/b	F.V kuti suport pllaket 4 modular	cope	15.0
37	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	4.0
38	2.485/d	F V priza shuko Gevis universal	Cope	15.0
39				
40				
41				
42	4-Rikonstruksioni i objektit familja Feta Salaj			
43	2.1	Germim dheu me krah e transport me dore	m3	6.0
44	2.166	F V hekur betoni periodik Φ 6 - 10 mm	ton	0.2
45	2.166/1a	F v hekur betoni $\Phi > 12$ mm	ton	0.3
46	114	Plinta e bazamente b/a monolite C12/15(plinta + trare +shtrese)	m3	9.5
47	2.117	Kolona b/a monolite C16/20	m3	1.0
48	2.88	Mur me blloqe betoni t = 20 cm Llac M-15	m3	12.5
49	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	45.0
50	2.297/c	Tavan i varur plastik	m2	35.0
51	2.310.	Suvatim i brendshem	m2	70.0
52	2.262	Shtrese betoni C 6/10 t = 8 cm	m3	3.2
53	2.395	Dyer d/alumini tek xham.	m2	3.6
54	3.375	Dritare d/alumini tek xham	m2	5.7
55	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	2.3
56	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
57	480/2	F V tub plastmasi Φ 20mm	ml	80.0
58	480/1	F V tub plastmasi Φ 16mm	ml	30.0
59	2.487	F V kuti derivacioni plastike	Cope	2.0
60	2.487/b	F.V kuti suport pllaket 4 modular	cope	10.0
61				
62				
63				
64	5-Rikonstruksioni i objektit familja Arieta Cilaj			
65	2.166	F V hekur betoni periodik Φ 6 - 10 mm	ton	0.1
66	2.86	Mur me tulla me 6 vrima t=12 cm	m3	3.0
67	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	80.0
68	2.297/c	Tavan i varur plastik	m2	70.0
69	2.310.	Suvatim i brendshem	m2	123.0
70	2.262	Shtrese betoni C 6/10 t = 8 cm	m3	5.0
71	2.267/b	Shtrese me pllaka grez importi 40x40	m2	15.0
72	2.395	Dyer d/alumini tek xham.	m2	2.0

73	3.375	Dritare d/alumini tek xham	m2	9.4
74	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	5.4
75	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	2.1
76	2.489	F.V Siguresa ~ 25 A	cope	6.0
77	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
78	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
79	2.561	Llambe sinjali	Cope	1.0
80	480/2	F V tub plastmasi Φ 20mm	ml	100.0
81	480/1	F V tub plastmasi Φ 16mm	ml	50.0
82	2.481/1	F.v percjelles Φ 1.5 mm	ml	50.0
83	2.481/2	F.v percjelles Φ 2.5 mm	ml	300.0
84	2.487	F V kuti derivacioni plastike	Cope	2.0
85	2.487/b	F.V kuti suport pllaket 4 modular	cope	10.0
86	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	4.0
87	2.485/d	F V priza shuko Gevis universal	Cope	12.0
88	2.485/b	F V priza bivalente 220V 10A 2P+T Gevis	Cope	3.0
89				
90				
91				
92	6-Rikonstruksioni i objektit familja Dylber Llangozi			
93	2.166	F V hekur betoni periodik \emptyset 6 - 10 mm	ton	0.1
94	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	86.0
95	2.297/c	Tavan i varur plastik	m2	34.0
96	3.375	Dritare d/alumini tek xham	m2	4.7
97	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	5.4
98	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	2.5
99				
100				
101				
102	B-NJESIA ADMINISTRATIVE PERONDI			
103	7-Rikonstruksioni i objektit familja Neshat Caka			
104	2.166	F V hekur betoni periodik \emptyset 6 - 10 mm	ton	0.1
105	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	115.0
106	2.297/c	Tavan i varur plastik	m2	73.0
107	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	4.0
108				
109				
110				
111	8-Rikonstruksioni i objektit familja Rushan Plaku			

112	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.1
113	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	140.0
114	2.297/c	Tavan i varur plastik	m2	80.0
115	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	4.0
116				
117				
118				
119	9-Rikonstruksioni i objektit familja Shkelqim Pirja			
120	2.310.	Suvatim i brendshem	m2	220.0
121	2.404	Boje hidroplastike	m2	220.0
122	2.262	Shtrese betoni C 6/10 t = 8 cm	m3	7.0
123	2.267/b	Shtrese me pllaka grez importi 40x40	m2	73.0
124	2.326	Veshje me pllake majolike	m ²	15.0
125	2.395	Dyer d/alumini tek xham.	m2	5.2
126	3.375	Dritare d/alumini tek xham	m2	6.4
127	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	3.8
128	2.489	F.V Siguresa ~ 25 A	cope	6.0
129	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
130	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
131	2.561	Llambe sinjali	Cope	1.0
132	480/2	F V tub plastmasi Φ20mm	ml	200.0
133	480/1	F V tub plastmasi Φ16mm	ml	50.0
134	2.481/1	F.v percjelles Φ 1.5 mm	ml	100.0
135	2.481/2	F.v percjelles Φ 2.5 mm	ml	600.0
136	2.487	F V kuti derivacioni plastike	Cope	3.0
137	2.487/b	F.V kuti suport pllaket 4 modular	cope	20.0
138	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	6.0
139	2.485/d	F V priza shuko Gevis universal	Cope	20.0
140	2.485/b	F V priza bivalente 220V 10A 2P+T Gevis	Cope	5.0
141	2.501	F.V WC allafrenga importi	cope	1.0
142	2.215	F V bolier 80 liter, uje te ngrohte	cope	1.0
143	2.495	F.V lavaman porcelani importi me mishelator	cope	1.0
144	2.491/a	F.V Tuba e rakorderi ujesjellesi PPR d=20~25mm, PN 25	ml	40.0
145	2.516/1	F.V Tuba e rakorderi PVC	kg	35.0
146				
147				
148				
149	10-Rikonstruksioni i objektit familja Vangjel Gode			
150	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.1

151	2.88	Mur me blloqe betoni t = 20 cm Llac M-15	m3	0.5
152	2.310.	Suvatim i brendshem	m2	154.0
153	2.404	Boje hidroplastike	m2	70.0
154	2.262	Shtrese betoni C 6/10 t = 10 cm	m3	6.6
155	2.326	Veshje me pllake majolike	m ²	10.0
156	2.267/b	Shtrese me pllaka grez importi 40x40	m2	5.0
157	2.395	Dyer d/alumini tek xham.	m2	3.4
158	3.375	Dritare d/alumini tek xham	m2	5.0
159	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	5.1
160	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	1.0
161	2.489	F.V Siguresa ~ 25 A	cope	8.0
162	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
163	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
164	2.561	Llambe sinjali	Cope	1.0
165	480/2	F V tub plastmasi Φ20mm	ml	200.0
166	480/1	F V tub plastmasi Φ16mm	ml	50.0
167	2.481/1	F.v percjelles Φ 1.5 mm	ml	100.0
168	2.481/2	F.v percjelles Φ 2.5 mm	ml	400.0
169	2.487	F V kuti derivacioni plastike	Cope	3.0
170	2.487/b	F.V kuti suport pllaket 4 modular	cope	16.0
171	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	6.0
172	2.485/d	F V priza shuko Gevis universal	Cope	9.0
173	2.501	F.V WC allafrenga importi	cope	1.0
174	2.215	F V bolier 80 liter, uje te ngrohte	cope	1.0
175	2.495	F.V lavaman porcelani importi me mishelator	cope	1.0
176	2.491/a	F.V Tuba e rakorderi ujesjellesi PPR d=20~25mm, PN 25	ml	40.0
177	2.516/1	F.V Tuba e rakorderi PVC	kg	35.0
178				
179				
180				
181	11-Rikonstruksioni i objektit familja Emiljano Karemani			
182	2.1	Germim dheu me krah e transport me dore	m3	6.0
183	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.2
184	2.166/1a	F v hekur betoni Ø > 12 mm	ton	0.4
185	114	Plinta e bazamente b/a monolite C16/20(plinta + trare +shtrese)	m3	9.8
186	2.117	Kolona b/a monolite C16/20	m3	1.0
187	2.88	Mur me blloqe betoni t = 20 cm Llac M-15	m3	11.0
188	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	48.0
189	2.310.	Suvatim i brendshem	m2	88.0

190	2.326	Veshje me pllake majolike	m ²	7.0
191	2.267/b	Shtrese me pllaka grez importi 40x40	m ²	5.0
192	2.262	Shtrese betoni C 6/10 t = 8 cm	m ³	3.8
193	2.395	Dyer d/alumini tek xham.	m ²	3.4
194	3.375	Dritare d/alumini tek xham	m ²	6.4
195	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m ²	3.4
196	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m ³	1.2
197	2.489	F.V Siguresa ~ 25 A	cope	6.0
198	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
199	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
200	2.561	Llambe sinjali	Cope	1.0
201	480/2	F V tub plastmasi Φ 20mm	ml	100.0
202	480/1	F V tub plastmasi Φ 16mm	ml	30.0
203	2.481/1	F.v percjelles Φ 1.5 mm	ml	100.0
204	2.481/2	F.v percjelles Φ 2.5 mm	ml	300.0
205	2.487	F V kuti derivacioni plastike	Cope	2.0
206	2.487/b	F.V kuti suport pllaket 4 modular	cope	9.0
207	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	4.0
208	2.485/d	F V priza shuko Gevis universal	Cope	9.0
209	2.501	F.V WC allafrenga importi	cope	1.0
210	2.495	F.V lavaman porcelani importi me mishelator	cope	1.0
211	2.491/a	F.V Tuba e rakorderi ujesjellesi PPR d=20~25mm, PN 25	ml	40.0
212	2.516/1	F.V Tuba e rakorderi PVC	kg	35.0
213				
214				
215				
216	12-Rikonstruksioni i objektit familja Trendelina Dokaj			
217	2.166	F V hekur betoni periodik Φ 6 - 10 mm	ton	0.1
218	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m ²	100.0
219	2.297/c	Tavan i varur plastik	m ²	57.0
220	2.310.	Suvatim i brendshem	m ²	98.0
221	2.404	Boje hidroplastike	m ²	72.0
222	2.262	Shtrese betoni C 6/10 t = 10 cm	m ³	5.7
223	2.267/b	Shtrese me pllaka grez importi 40x40	m ²	10.0
224	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m ³	1.5
225	2.489	F.V Siguresa ~ 25 A	cope	8.0
226	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
227	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
228	2.561	Llambe sinjali	Cope	1.0

229	480/2	F V tub plastmasi Φ 20mm	ml	200.0
230	480/1	F V tub plastmasi Φ 16mm	ml	50.0
231	2.481/1	F.v percjelles Φ 1.5 mm	ml	100.0
232	2.481/2	F.v percjelles Φ 2.5 mm	ml	600.0
233	2.487	F V kuti derivacioni plastike	Cope	3.0
234	2.487/b	F.V kuti suport pllaket 4 modular	cope	20.0
235	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	6.0
236	2.485/d	F V priza shuko Gevis universal	Cope	10.0
237	2.485/b	F V priza bivalente 220V 10A 2P+T Gevis	Cope	2.0
238				
239				
240				
241	13-Rikonstruksioni i objektit familja Llambi Koli			
242	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	206.0
243				
244				
245				
246	14-Rikonstruksioni i objektit familja Xhevrie Doko			
247	2.166	F V hekur betoni periodik \emptyset 6 - 10 mm	ton	0.2
248	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	85.0
249	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	2.5
250	2.297/c	Tavan i varur plastik	m2	62.0
251	2.404	Boje hidroplastike	m2	88.0
252	2.262	Shtrese betoni C 6/10 t = 8 cm	m3	6.0
253	2.395	Dyer d/alumini tek xham.	m2	3.6
254	3.375	Dritare d/alumini tek xham	m2	6.5
255	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	5.4
256	2.489	F.V Siguresa ~ 25 A	cope	6.0
257	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
258	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
259	2.561	Llambe sinjali	Cope	1.0
260	480/2	F V tub plastmasi Φ 20mm	ml	100.0
261	480/1	F V tub plastmasi Φ 16mm	ml	30.0
262	2.481/1	F.v percjelles Φ 1.5 mm	ml	50.0
263	2.481/2	F.v percjelles Φ 2.5 mm	ml	300.0
264	2.487	F V kuti derivacioni plastike	Cope	2.0
265	2.487/b	F.V kuti suport pllaket 4 modular	cope	10.0
266	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	4.0
267	2.485/d	F V priza shuko Gevis universal	Cope	12.0

268	2.485/b	F V priza bivalente 220V 10A 2P+T Gevis	Cope	3.0
269	2.501	F.V WC allafrenga importi	cope	1.0
270				
271				
272				
273	15-Rikonstruksioni i objektit familja Odise Sima			
274	2.1	Germim dheu me krah e transport me dore	m3	6.0
275	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.2
276	2.166/1a	F v hekur betoni Ø > 12 mm	ton	0.4
277	114	Plinta e bazamente b/a monolite C16/20(plinta + trare +shtrese)	m3	10.0
278	2.117	Kolona b/a monolite C16/20	m3	1.0
279	2.88	Mur me blloqe betoni t = 20 cm Llac M-15	m3	14.0
280	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	49.0
281	2.297/c	Tavan i varur plastik	m2	40.0
282	2.310.	Suvatim i brendshem	m2	95.0
283	2.262	Shtrese betoni C 6/10 t = 8 cm	m3	5.0
284	2.326	Veshje me pllake majolike	m ²	10.0
285	2.267/b	Shtrese me pllaka grez importi 40x40	m2	5.0
286	2.395	Dyer d/alumini tek xham.	m2	3.6
287	3.375	Dritare d/alumini tek xham	m2	6.8
288	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	3.6
289	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	2.3
290	2.489	F.V Siguresa ~ 25 A	cope	6.0
291	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
292	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
293	2.561	Llambe sinjali	Cope	1.0
294	480/2	F V tub plastmasi Φ20mm	ml	100.0
295	480/1	F V tub plastmasi Φ16mm	ml	30.0
296	2.481/1	F.v percjelles Φ 1.5 mm	ml	150.0
297	2.481/2	F.v percjelles Φ 2.5 mm	ml	150.0
298	2.487	F V kuti derivacioni plastike	Cope	2.0
299	2.487/b	F.V kuti suport pllaket 4 modular	cope	9.0
300	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	4.0
301	2.485/d	F V priza shuko Gevis universal	Cope	9.0
302	2.501	F.V WC allafrenga importi	cope	1.0
303	2.215	F V bolier 80 liter, uje te ngrohte	cope	1.0
304	2.495	F.V lavaman porcelani importi me mishelator	cope	1.0
305	2.491/a	F.V Tuba e rakorderi ujesjellesi PPR d=20~25mm, PN 25	ml	40.0
306	2.516/1	F.V Tuba e rakorderi PVC	kg	35.0

307				
308				
309				
310	C-NJESIA ADMINISTRATIVE KUCOPE			
311	16-Rikonstruksioni i objektit familja Fatmir Xhafa			
312	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.1
313	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	64.0
314	2.297/c	Tavan i varur plastik	m2	30.0
315	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	3.0
316				
317				
318				
319	17-Rikonstruksioni i objektit familja Fatime Dashi			
320	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.2
321	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	125.0
322	2.297/c	Tavan i varur plastik	m2	40.0
323	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	1.5
324				
325				
326				
327	18-Rikonstruksioni i objektit familja Nozi Bardhi			
328	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	71.0
329	2.212/a	Ulluk shkarkimi horizontal me pvc33 cm	ml	30.0
330	2.209/a	Ulluk shkarkimi vertikal me pvc	ml	15.0
331				
332				
333				
334	19-Rikonstruksioni i objektit familja Ahmet Bazina			
335	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.1
336	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	110.0
337	2.297/c	Tavan i varur plastik	m2	90.0
338	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	1.6
339				
340				
341				
342	20-Rikonstruksioni i objektit familja Dallendyshe Doga			
343	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.1
344	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	95.0
345	2.310.	Suvatim i brendshem	m2	175.0

346	2.404	Boje hidroplastike	m2	150.0
347	2.262	Shtrese betoni C 6/10 t = 10 cm	m3	6.0
348	2.326	Veshje me pllake majolike	m ²	20.0
349	2.267/b	Shtrese me pllaka grez importi 40x40	m2	7.0
350	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	5.4
351	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	0.5
352	2.501	F.V WC allafrenga importi	cope	1.0
353	2.215	F V bolier 80 liter, uje te ngrohte	cope	1.0
354	2.495	F.V lavaman porcelani importi me mishelator	cope	1.0
355	2.491/a	F.V Tuba e rakorderi ujesjellesi PPR d=20~25mm, PN 25	ml	40.0
356	2.516/1	F.V Tuba e rakorderi PVC	kg	35.0
357	2.489	F.V Siguresa ~ 25 A	cope	6.0
358	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
359	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
360	2.561	Llambe sinjali	Cope	1.0
361	480/2	F V tub plastmasi Φ 20mm	ml	200.0
362	480/1	F V tub plastmasi Φ 16mm	ml	100.0
363	2.481/1	F.v percjelles Φ 1.5 mm	ml	200.0
364	2.481/2	F.v percjelles Φ 2.5 mm	ml	200.0
365	2.487	F V kuti derivacioni plastike	Cope	2.0
366	2.487/b	F.V kuti suport pllaket 4 modular	cope	9.0
367	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	4.0
368	2.485/d	F V priza shuko Gevis universal	Cope	9.0
369				
370				
371				
372	21-Rikonstruksioni i objektit familja Nardi Fafaj			
373	2.166	F V hekur betoni periodik Φ 6 - 10 mm	ton	0.1
374	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	91.0
375	2.297/c	Tavan i varur plastik	m2	41.0
376	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	1.0
377				
378				
379				
380	22-Rikonstruksioni i objektit familja Sheme Veizaj			
381	2.166	F V hekur betoni periodik Φ 6 - 10 mm	ton	0.1
382	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	76.0
383	2.297/c	Tavan i varur plastik	m2	53.0
384	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	2.0

385				
386				
387				
388	23-Rikonstruksioni i objektit familja Viktor Prifti			
389	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.1
390	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	93.0
391	2.310.	Suvatim i brendshem	m2	110.0
392	2.404	Boje hidroplastike	m2	100.0
393	2.262	Shtrese betoni C 6/10 t = 10 cm	m3	7.0
394	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	7.0
395	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	1.5
396	2.489	F.V Siguresa ~ 25 A	cope	7.0
397	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
398	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
399	2.561	Llambe sinjali	cope	1.0
400	480/2	F V tub plastmasi Φ20mm	ml	200.0
401	480/1	F V tub plastmasi Φ16mm	ml	50.0
402	2.481/1	F.v percjelles Φ 1.5 mm	ml	200.0
403	2.481/2	F.v percjelles Φ 2.5 mm	ml	550.0
404	2.487	F V kuti derivacioni plastike	cope	3.0
405	2.487/b	F.V kuti suport pllaket 4 modular	cope	20.0
406	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	6.0
407	2.485/d	F V priza shuko Gevis universal	Cope	18.0
408	2.485/b	F V priza bivalente 220V 10A 2P+T Gevis	Cope	3.0
409				
410				
411				
412	24-Rikonstruksioni i objektit familja Namik Zenelaj			
413	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	173.0
414				
415				
416				
417	25-Rikonstruksioni i objektit familja Tomorr Greku			
418	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	69.0
419				
420				
421				
422	26-Rikonstruksioni i objektit familja Bajram Bendaj			
423	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	122.0

424				
425				
426				
427	27-Rikonstruksioni i objektit familja Muhamet Berzani			
428	2.258	Nenshtrese Zhavori t = 20 cm	m3	6.3
429	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.1
430	2.88	Mur me blloqe betoni t = 20 cm Llac M-15	m3	4.0
431	2.297/b	Tavan I varur me pllaka gipsi 60 x 60 cm	m2	32.0
432	2.310.	Suvatim i brendshem	m2	195.0
433	2.404	Boje hidroplastike	m2	195.0
434	2.262	Shtrese betoni C 6/10 t = 8 cm	m3	6.0
435	2.326	Veshje me pllake majolike	m ²	14.0
436	2.267/b	Shtrese me pllaka grez importi 40x40	m2	65.0
437	2.395	Dyer d/alumini tek xham.	m2	1.6
438	3.375	Dritare d/alumini tek xham	m2	2.0
439	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	8.5
440	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	2.3
441	2.489	F.V Siguresa ~ 25 A	cope	6.0
442	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
443	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
444	2.561	Llambe sinjali	Cope	1.0
445	480/2	F V tub plastmasi Φ20mm	ml	200.0
446	480/1	F V tub plastmasi Φ16mm	ml	50.0
447	2.481/1	F.v percjelles Φ 1.5 mm	ml	400.0
448	2.481/2	F.v percjelles Φ 2.5 mm	ml	600.0
449	2.487	F V kuti derivacioni plastike	Cope	4.0
450	2.487/b	F.V kuti suport pllaket 4 modular	cope	25.0
451	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	10.0
452	2.485/d	F V priza shuko Gevis universal	Cope	25.0
453	2.485/b	F V priza bivalente 220V 10A 2P+T Gevis	Cope	3.0
454	2.501	F.V WC allafrenga importi	cope	1.0
455	2.215	F V bolier 80 liter, uje te ngrohte	cope	1.0
456	2.495	F.V lavaman porcelani importi me mishelator	cope	1.0
457	2.491/a	F.V Tuba e rakorderi ujesjellesi PPR d=20~25mm, PN 25	ml	60.0
458	2.516/1	F.V Tuba e rakorderi PVC	kg	40.0
459				
460				
461				
462	28-Rikonstruksioni i objektit familja Bujar Kuka			

463	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.1
464	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	90.0
465	2.297/c	Tavan i varur plastik	m2	45.0
466	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	2.0
467				
468				
469				
470	29-Rikonstruksioni i objektit familja Qelibare Ajazi			
471	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	60.0
472	2.297/c	Tavan i varur plastik	m2	48.0
473	2.310.	Suvatim i brendshem	m2	100.0
474	2.262	Shtrese betoni C 6/10 t = 10 cm	m3	4.8
475	2.267/b	Shtrese me pllaka grez importi 40x40	m2	22.0
476	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	5.4
477				
478				
479				
480	30-Rikonstruksioni i objektit familja Suzana Behari			
481	2.197	Hidroizolim me emulsion bitumi dhe 2 shtrese katrama	m2	260.0
482				
483				
484				
485	D-FAMILJE TE KOMUNITETIT ROME			
486	31-Rikonstruksioni i objektit familja Salushe Myrteli			
487	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.1
488	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	76.0
489	2.297/c	Tavan i varur plastik	m2	40.0
490	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	1.5
491				
492				
493				
494	32-Rikonstruksioni i objektit familja Fabion Hamzai			
495	2.1	Germim dheu me krah e transport me dore	m3	4.0
496	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.2
497	2.167	F v hekur betoni Ø > 12 mm	ton	0.3
498	114	Plinta e bazamente b/a monolite C16/20(plinta + trare +shtrese)	m3	7.0
499	2.117	Kolona b/a monolite C16/20	m3	0.7
500	2.88	Mur me blloqe betoni t = 20 cm Llac M-15	m3	3.3

501	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	34.0
502	2.297/c	Tavan i varur plastik	m2	18.0
503	2.310.	Suvatim i brendshem	m2	60.0
504	2.262	Shtrese betoni C 6/10 t = 8 cm	m3	1.8
505	2.326	Veshje me pllake majolike	m ²	13.0
506	2.267/b	Shtrese me pllaka grez importi 40x40	m2	20.0
507	2.395	Dyer d/alumini tek xham.	m2	3.6
508	3.375	Dritare d/alumini tek xham	m2	2.0
509	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	2.3
510	2.489	F.V Siguresa ~ 25 A	cope	6.0
511	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
512	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
513	2.561	Llambe sinjali	Cope	1.0
514	480/2	F V tub plastmasi Φ20mm	ml	50.0
515	480/1	F V tub plastmasi Φ16mm	ml	10.0
516	2.481/1	F.v percjelles Φ 1.5 mm	ml	20.0
517	2.481/2	F.v percjelles Φ 2.5 mm	ml	150.0
518	2.487	F V kuti derivacioni plastike	Cope	1.0
519	2.487/b	F.V kuti suport pllaket 4 modular	cope	7.0
520	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	2.0
521	2.485/d	F V priza shuko Gevis universal	Cope	7.0
522	2.485/b	F V priza bivalente 220V 10A 2P+T Gevis	Cope	2.0
523	2.501	F.V WC allafrenga importi	cope	1.0
524	2.215	F V bolier 80 liter, uje te ngrohte	cope	1.0
525	2.495	F.V lavaman porcelani importi me mishelator	cope	1.0
526	2.491/a	F.V Tuba e rakorderi ujesjellesi PPR d=20~25mm, PN 25	ml	40.0
527	2.516/1	F.V Tuba e rakorderi PVC	kg	35.0
528				
529				
530				
531	E-NJESIA ADMINISTRATIVE KOZARE			
532	33-Rikonstruksioni i objektit familja Sali Bejdo			
533	2.1	Germim dheu me krah e transport me dore	m3	6.0
534	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.2
535	2.167	F v hekur betoni Ø > 12 mm	ton	0.4
536	114	Plinta e bazamente b/a monolite C16/20(plinta + trare +shtrese)	m3	9.8
537	2.117	Kolona b/a monolite C16/20	m3	1.0
538	2.88	Mur me blloqe betoni t = 20 cm Llac M-15	m3	11.0
539	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	48.0

540	2.310.	Suvatim i brendshem	m2	86.0
541	2.326	Veshje me pllake majolike	m ²	7.0
542	2.267/b	Shtrese me pllaka grez importi 40x40	m2	5.0
543	2.262	Shtrese betoni C 6/10 t = 8 cm	m3	3.8
544	2.395	Dyer d/alumini tek xham.	m2	3.4
545	3.375	Dritare d/alumini tek xham	m2	6.4
546	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	3.4
547	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	1.2
548	2.489	F.V Siguresa ~ 25 A	cope	6.0
549	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
550	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
551	2.561	Llambe sinjali	Cope	1.0
552	480/2	F V tub plastmasi Φ 20mm	ml	100.0
553	480/1	F V tub plastmasi Φ 16mm	ml	30.0
554	2.481/1	F.v percjelles Φ 1.5 mm	ml	100.0
555	2.481/2	F.v percjelles Φ 2.5 mm	ml	300.0
556	2.487	F V kuti derivacioni plastike	Cope	2.0
557	2.487/b	F.V kuti suport pllaket 4 modular	cope	9.0
558	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	4.0
559	2.485/d	F V priza shuko Gevis universal	Cope	9.0
560	2.501	F.V WC allafrenga importi	cope	1.0
561	2.495	F.V lavaman porcelani importi me mishelator	cope	1.0
562	2.491/a	F.V Tuba e rakorderi ujesjellesi PPR d=20~25mm, PN 25	ml	40.0
563	2.516/1	F.V Tuba e rakorderi PVC	kg	35.0
564				
565				
566				
567	34-Rikonstruksioni i objektit familja Xhevair Toska			
568	2.166	F V hekur betoni periodik \emptyset 6 - 10 mm	ton	0.2
569	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	95.0
570	2.297/c	Tavan i varur plastik	m2	43.0
571	2.310.	Suvatim i brendshem	m2	46.0
572	2.262	Shtrese betoni C 6/10 t = 10 cm	m3	6.8
573	2.395	Dyer d/alumini tek xham.	m2	3.6
574	3.375	Dritare d/alumini tek xham	m2	5.7
575	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	5.0
576	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	2.0
577	2.489	F.V Siguresa ~ 25 A	cope	6.0
578	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0

579	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
580	2.561	Llambe sinjali	Cope	1.0
581	480/2	F V tub plastmasi Φ 20mm	ml	100.0
582	480/1	F V tub plastmasi Φ 16mm	ml	30.0
583	2.481/1	F.v percjelles Φ 1.5 mm	ml	50.0
584	2.481/2	F.v percjelles Φ 2.5 mm	ml	200.0
585	2.487	F V kuti derivacioni plastike	Cope	2.0
586	2.487/b	F.V kuti suport pllaket 4 modular	cope	7.0
587	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	4.0
588	2.485/d	F V priza shuko Gevis universal	Cope	6.0
589	2.485/b	F V priza bivalente 220V 10A 2P+T Gevis	Cope	3.0
590				
591				
592				
593	35-Rikonstruksioni i objektit familja Zylyf Shkurti			
594	2.1	Germim dheu me krah e transport me dore	m3	4.0
595	2.166	F V hekur betoni periodik Φ 6 - 10 mm	ton	0.2
596	2.167	F v hekur betoni Φ > 12 mm	ton	0.3
597	114	Plinta e bazamente b/a monolite C16/20(plinta + trare +shtrese)	m3	8.0
598	2.117	Kolona b/a monolite C16/20	m3	1.0
599	2.88	Mur me blloqe betoni t = 20 cm Llac M-15	m3	12.0
600	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	30.0
601	2.297/c	Tavan i varur plastik	m2	30.0
602	2.310.	Suvatim i brendshem	m2	70.0
603	2.262	Shtrese betoni C 6/10 t = 8 cm	m3	3.8
604	2.395	Dyer d/alumini tek xham.	m2	2.0
605	3.375	Dritare d/alumini tek xham	m2	7.0
606	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	3.6
607	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	2.3
608	480/2	F V tub plastmasi Φ 20mm	ml	100.0
609	480/1	F V tub plastmasi Φ 16mm	ml	30.0
610	2.481/1	F.v percjelles Φ 1.5 mm	ml	50.0
611	2.481/2	F.v percjelles Φ 2.5 mm	ml	300.0
612	2.487	F V kuti derivacioni plastike	Cope	2.0
613	2.487/b	F.V kuti suport pllaket 4 modular	cope	7.0
614				
615				
616				

617	36-Rikonstruksioni i objektit familja Qerim Bakiu			
618	2.1	Germim dheu me krah e transport me dore	m3	5.0
619	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.2
620	2.167	F v hekur betoni Ø > 8 mm	ton	0.3
621	114	Plinta e bazamente b/a monolite C16/20(plinta + trare +shtrese)	m3	10.0
622	2.117	Kolona b/a monolite C16/20	m3	1.0
623	2.88	Mur me blloqe betoni t = 20 cm Llac M-15	m3	8.2
624	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	40.0
625	2.297/c	Tavan i varur plastik	m2	40.0
626	2.310.	Suvatim i brendshem	m2	50.0
627	2.262	Shtrese betoni C 6/10 t = 8 cm	m3	3.8
628	2.395	Dyer d/alumini tek xham.	m2	2.0
629	3.375	Dritare d/alumini tek xham	m2	7.0
630	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	3.6
631	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	2.0
632	480/2	F V tub plastmasi Φ20mm	ml	100.0
633	480/1	F V tub plastmasi Φ16mm	ml	30.0
634	2.481/1	F.v percjelles Φ 1.5 mm	ml	50.0
635	2.481/2	F.v percjelles Φ 2.5 mm	ml	200.0
636	2.487	F V kuti derivacioni plastike	Cope	2.0
637	2.487/b	F.V kuti suport pllaket 4 modular	cope	7.0
638				
639				
640				
641	37-Rikonstruksioni i objektit familja Lindita Gega			
642	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	145.0
643				
644				
645				
646	38-Rikonstruksioni i objektit familja Gentjan Vrusho			
647	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.1
648	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	67.0
649	2.297/c	Tavan i varur plastik	m2	40.0
650	2.121/1	Brez b/a C16/20 H ~ 8 m h = 15 cm mbi mur blloku	m3	1.5
651				
652				
653				
654	39-Rikonstruksioni i objektit familja Marie Lengu			

655	2.310.	Suvatim i brendshem	m2	100.0
656	2.395	Dyer d/alumini tek xham.	m2	3.6
657	3.375	Dritare d/alumini tek xham	m2	6.5
658	2.388/1	FV dyer te brendshme tamburtat te rimesuar	m2	3.6
659	2.326	Veshje me pllake majolike	m ²	15.0
660	2.267/b	Shtrese me pllaka grez importi 40x40	m2	62.0
661	2.489	F.V Siguresa ~ 25 A	cope	8.0
662	2.490/c	F.V Kasete plastike KE me 8 modular (vende)	cope	1.0
663	2.537	Automat termo-elektro magnetik,4P;380V;40A	cope	1.0
664	2.561	Llambe sinjali	Cope	1.0
665	480/2	F V tub plastmasi Φ 20mm	ml	100.0
666	480/1	F V tub plastmasi Φ 16mm	ml	50.0
667	2.481/1	F.v percjelles Φ 1.5 mm	ml	100.0
668	2.481/2	F.v percjelles Φ 2.5 mm	ml	300.0
669	2.487	F V kuti derivacioni plastike	Cope	3.0
670	2.487/b	F.V kuti suport pllaket 4 modular	cope	20.0
671	2.485/1	F V celes 1 polar 220V 10A Gevis	Cope	6.0
672	2.485/d	F V priza shuko Gevis universal	Cope	20.0
673	2.485/b	F V priza bivalente 220V 10A 2P+T Gevis	Cope	5.0
674	2.501	F.V WC allafrenga importi	cope	1.0
675	2.215	F V bolier 80 liter, uje te ngrohte	cope	1.0
676	2.495	F.V lavaman porcelani importi me mishelator	cope	1.0
677	2.491/a	F.V Tuba e rakorderi ujesjellesi PPR d=20~25mm, PN 25	ml	40.0
678	2.516/1	F.V Tuba e rakorderi PVC	kg	35.0